



**PRODUCT APPROVAL OF PACKAGING
FOR
TRANSPORTATION OF DANGEROUS GOODS**

CERTIFICATE NO.: NET6702A

Holder of certificate: Emballator Ulricehamns Bleck AB

Manufacturer: Emballator Ulricehamns Bleck AB
Box 8, (Hesters Industriområde)
SE-523 21 Ulricehamn
SWEDEN


Product:	Packaging code	Description	Drawings	Material	Material thickness
	1A2	Steel Pail with removable head	Steel pail, drawing number: HE3-2660	Steel sheet	Body and bottom: 0.42mm

Closing mechanism:	Closure type	Material	Material thickness	Gasket
	Clamping ring. The lid has a plastics closure, H.z601 FSA, HDPE. Flexible spout made of EVA	Lid: Steel sheet	0.45 mm	PVC compound

Photo:



Dimensions:	Volume, litre	Packaging weight, g	Height, mm	Diameter, mm	Max volume. litre
	10	1000	225	275	12.2
	12	1065	238	275	12.9
	15	1230	295	275	16.1
	20	1460	371	275	21

Marking on packaging:  **1A2/Y1.8/100/YR/N/NET6702A - ID**

"YR" to be replaced with the two last digits of the year.
"ID" to be replaced by any identification as decided by the manufacturer.

Approval:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations on Transportation of Dangerous Goods on road and railway § 11-1, 7th segment.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet), RSR-13-2008 (02.09.2008).

Regulations based upon for approval:

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

UN Recommendations on the Transport of Dangerous Goods.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA Dangerous Goods Regulations, for the air transport.

Approval is valid for:

The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instructions.

Packaging groups	Content	Max. relative density	Max. vapour pressure, kPa at +50°C
II and III	Liquid substances that do not adversely affect the packaging materials.	1.8	114

Basis for certification:

Production moved to Ulricehamns Bleck AB

Documents based upon for approval:

Report id.	Date	Issued by	Scope
NET0306A	04.03.2007	NET AS	Type approval
NET0306A-1	27.03.2007	NET AS	Type approval, supplementary testing

Porsgrunn:
01.12.2008
Certificate is valid until:
31.12.2013


Geir Morten Johansen
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS
Certification