



**PRODUCT APPROVAL OF PACKAGING  
FOR  
TRANSPORTATION OF DANGEROUS GOODS**

**CERTIFICATE NO.: NET6705B**

**Holder of certificate:** Emballator Ulricehamns Bleck AB

**Manufacturer:** Emballator Ulricehamns Bleck AB  
Box 8, (Hesters Industriområde)  
SE-523 21 Ulricehamn  
SWEDEN


<b>Product:</b>	<b>Packaging code</b>	<b>Description</b>	<b>Drawings</b>	<b>Material</b>
	1A2	Steel drum, removable head	Steel pail, Drawing F3B-2701 Welded body and triple seam in bottom	Body and bottom: Steel sheet, 0.38mm

<b>Closing mechanism:</b>	<b>Closure type</b>	<b>Material</b>	<b>Gasket</b>
	Clamping ring with lever on lid. The lid can have a plastics closure, HZ 655 SA or S2 flexible pullup spout	Lid: Steel sheet, 0.42mm	PVC compound

**Photo:**



<b>Dimensions:</b>	<b>Packaging weight, g</b>	<b>Volume, litre</b>	<b>Height, mm</b>	<b>Diameter, mm</b>
		10	225	275
		12	238	275
		15	295	275
	1325	20	371	275

**Marking on packaging:**  **1A2/Y1.8/95/YR/N/NET6705B – ID**  
 "YR" to be replaced with the two last digits of the year.  
 "ID" to be replaced by any identification as decided by the manufacturer.

**Approval:**

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations on Transportation of Dangerous Goods on road and railway § 11-1, 7th segment.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet), RSR-13-2008 (02.09.2008).

**Regulations based upon for approval:**

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

UN Recommendations on the Transport of Dangerous Goods.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA Dangerous Goods Regulations, for the air transport.

**Approval is valid for:**

The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instructions.

Packaging groups	Content	Max. relative density	Max vapour pressure at +55°C
II and III	Liquid substances that do not adversely affect the packaging materials	1.8	63 kPa

**Basis for certification:** Production moved to Ulricehamns Bleck AB

**Documents based upon for approval:**

Report id.	Date	Issued by	Scope
92M12023	27.08.1992	SP	Type approval
93M12463A	06.12.1993	SP	Type approval
97H60374A	17.07.1997	SP	Additional type approval
98H60577	04.03.1998	SP	Additional type approval
F311311	17.06.2003	SP	Additional type approval
NET0319B	30.05.2008	NET	Technical Evaluation

**Porsgrunn: 01.12.2008**

**Certificate is valid until: 31.12.2013**



**Geir Morten Johansen**  
Certification Officer



**Rune Madsen Fink**  
Control Officer

**Nordisk Emballasje Testing AS**  
**Certification**