




**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET6719A**

HOLDER OF CERTIFICATE:
Emballator Ulricehamns Bleck AB

MANUFACTURER: Emballator Ulricehamns Bleck AB, Maskinvägen 10, SE-52321 Ulricehamn, Sweden

MARKING ON PACKAGING:  **1A2/Y1.6 Z2.4/100/YR/N/NET6719A - ID**
"YR" to be replaced with the two last digits of the year.
"ID" to be replaced by any identification as decided by the manufacturer.

PRODUCT:

Packaging code	Description	Material
1A2	Steel drums, removable head. Welded body and double seam in the bottom. One beading. Serie 180.	Steel sheet TS 275

CLOSING MECHANISM:

#: Closure type	Drawings	Material	Gasket
1: Clamped on lid, HZB center	6496-03	Steel sheet TS 275	PVC
2: Clamped on lid	6495-03	Steel sheet TS 275	PVC
3: Clamped on lid, 50 mm spout	100613	Steel sheet TS 275	PVC

DIMENSIONS:

Volume, l	Height, mm	Diameter, mm (upper/lower)	Head / Body / Bottom, mm	Drawing
1: 2.5	142	190 / 171	0.35 / 0.25 / 0.30	6419-01
2: 3.0	157	190 / 171	0.35 / 0.25 / 0.30	6420-01
3: 4.0	195	190 / 171	0.35 / 0.25 / 0.30	6421-01
4: 5.0	237	190 / 171	0.35 / 0.25 / 0.30	6422-01

APPROVAL:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.
 RID, International Regulations on Transport of Dangerous Goods by Rail.
 UN Recommendations on the Transport of Dangerous Goods.
 IMDG, International Maritime Dangerous Goods Code, for sea transport.
 ICAO Technical Instructions for the Safe Transport of Dangerous Goods by Air.
 IATA Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials. Permeability test has been carried out according to ADR 6.1.5.7. Compatibility testing has been carried out according to ADR/RID with the content listed below:

Content	Max. relative density	Max. vapour pressure, kPa at +50°C	Packaging group
Liquid	1.6	114	II
Liquid	2.4	114	III

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET6711A-1	17.12.2013	NET	Additional approval
P801131	21.04.2008	SP	Technical evaluation
P604824A	29.03.2007	SP	Additional approval
P009146	16.01.2001	SP	Type approval

LERUM, SWEDEN

10.03.2014

CERTIFICATE IS VALID UNTIL:

31.03.2019


 Susanne E. Dalhberg
 Certification Officer



 Rune Madsen Fink
 Control Officer

Nordisk Emballasje Testing AS Certification