



PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS

CERTIFICATE NO.: NET3501A

Holder of certificate: Green Environmental Products AS

Sjøgata 27, N-8006 Bodø

NORWAY

Manufacturer: SL PLASTIC INDUSTRIAL CO., LTD

32/2 Moo 7 Rama 2 Road Tumbol Panthainorasing Aumpur Muang

Samut Sakhon 74000 Thailand

Product:

Packaging code	Description	Product identification	Material
3H2		Jerrican, 10 litre Drawing no. F-MD-16 REV.1.	HDPE PM 6200B

Closing mechanism:

Closure type	Product identification	Closure material	Gasket	Closure torque
Screw cap	Screw cap with an inner cylinder. Drawing no: F-MD-16 REV 2	Domolen 2500H and HDPE PM 6200B	Neoprene	35 Nm

Photo:







Dimensions:

Packaging weight, g	Volume, litre	Length, mm	Width, mm	Height, mm
722.5-758	10	210	210	274

NET3501A 111026 Page 1 of 2



Marking on packaging:

(h) 3H2/Y1.1/100/YR/N/NET3501A - ID

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer. The packaging shall also be appropriately marked with the month of the

manufacture.

Approval: NET issues the certification on described product according to delegated authority

from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations on Transportation of Dangerous Goods on road and railway

§ 11-1, 7th segment.

NET issues the certification on described product according to delegated authority

from Norwegian Maritime Directorate (Sjøfartsdirektoratet): RSR-13-2008

(02.09.2008).

Regulations based upon for approval:

ADR, European Agreement concerning the International Carriage of Dangerous

Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

UN Recommendations on the Transport of Dangerous Goods.

IMDG, International Maritime Dangerous Goods Code, for sea transport. ICAO Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA Dangerous Goods Regulations, for the air transport.

Approval is valid for:

Liquid substances that do not adversely affect the packaging material. Compatibility testing has been carried out according to ADR/RID with the standard liquids listed below. The packaging has also been permeability tested according to ADR/RID. The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instructions.

Packaging groups	Standard liquid	Max. relative density	Max. vapour pressure, kPa at +50°C
II and III	water	1.1	114
II and III	acetic acid	1.1	114
II and III	white spirit	1.0	114

Documents based upon for approval:

Report id.	Date	Issued by	Scope
NET3501A-2	26.06.2009	NET	Type testing
NET3502A-1	21.07.2010	NET	Type testing

Lerum, Sweden: 22.08.2010

Certificate is valid until:

30.08.2015

Susanne Dahlberg Certification Officer Rune Madsen Fink Control Officer

Nordisk Emballasje Testing AS Certification

 NET3501A 111026
 Page 2 of 2

 Nordisk Emballasje Testing AS
 Blekebakkvegen 45

 Foretaksnr.: 990 793 840
 N-3950 Brevik