



**PRODUCT APPROVAL OF PACKAGING  
FOR  
TRANSPORTATION OF DANGEROUS GOODS**

**CERTIFICATE NO.: NET3502A**

**Holder of certificate:** Green Environmental Products AS  
Sjøgata 27, N-8006 Bodø  
NORWAY

**Manufacturer:** SL PLASTIC INDUSTRIAL CO., LTD  
32/2 Moo 7 Rama 2 Road Tumbol Panthainorasing Aumpur Muang  
Samut Sakhon  
74000  
Thailand


Product:	Packaging code	Description	Product identification	Material
	3H2	Plastics jerrican with removable head	Jerrican, 14 litre Drawing no. 1-050852	HDPE PM 6200B

Closing mechanism:	Closure type	Product identification	Material	Gasket	Closing torque
	Screw cap	Screw cap with an inner cylinder and a wooden cylinder.	Domolen 2500H and HDPE PM 6200B (inner cylinder)	Neoprene	35 Nm

**Photo:**



Dimensions:	Packaging weight, g	Volume, litre	Length, mm	Width, mm	Height, mm
	935.7 – 982.5	14	230	230	338

**Marking on packaging:**  **3H2/Y1.1/100/YR/N/NET3502A – ID**  
 "YR" to be replaced with the two last digits of the year.  
 "ID" to be replaced by any identification as decided by the manufacturer.  
 The packaging shall also be appropriately marked with the month of manufacturing.

**Approval:**

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations on Transportation of Dangerous Goods on road and railway § 11-1, 7th segment.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet): RSR-13-2008 (02.09.2008).

**Regulations based upon for approval:**

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

UN Recommendations on the Transport of Dangerous Goods.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA Dangerous Goods Regulations, for the air transport.

**Approval is valid for:**

Liquid substances that do not adversely affect the packaging material. Compatibility testing has been carried out according to ADR/RID with the standard liquids listed below. The packaging has also been permeability tested according to ADR/RID. The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instructions.

Packaging groups	Content	Max. relative density	Max. vapour pressure, kPa at +50°C
II and III	acetic acid	1.1	114
II and III	white spirit	1.0	114

**Documents based upon for approval:**

Report id.	Date	Issued by	Scope
NET3502A	15.04.10	NET	Type approval

**Lerum, Sweden:****22.04.2010****Certificate is valid until:****30.04.2015**

**Susanne Dahlberg**  
Certification Officer



**Rune Madsen Fink**  
Control Officer

**Nordisk Emballasje Testing AS**  
**Certification**