




**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET0101A**

HOLDER OF CERTIFICATE:
Lantmännen Aspen AB

MANUFACTURER: Emballator Mellerud Plast AB, Industrigatan 2, S-464 22 Mellerud SWEDEN

MARKING ON PACKAGING:  **3H1/Y1.2/150/YR/N/NET0101A - ID**
 "YR" to be replaced with the two last digits of the year.
 "ID" to be replaced by any identification as decided by the manufacturer.
 The packaging shall also be appropriately marked with the month of the manufacture.

PRODUCT:

Packaging code	Description	Material
3H1	Plastics jerricans, non-removable head	HDPE

CLOSING MECHANISM:

#: Closure type	Producer	Drawings	Material (inner/outer)	Gasket	Torque
1: Childproof screw cap 40-894	Emballator Växjöplast AB	11448-3A	HDPE/HDPE	EPE/PET	7 Nm
2: Childproof screw cap 255/901G	Emballator Växjöplast AB	12436	HDPE/HDPE	EPE/PET	7 Nm
3: Childproof screw cap 255/901G	Emballator Växjöplast AB	12436	HDPE/HDPE	EPE/ALU/PET	5 Nm

DIMENSIONS:

Packaging weight, g	Volume, l	Height, mm	Width, mm	Length, mm	Neck size, mm	Drawing
250-270	5.0	324	118	190	30.5	HS0525-410-308B

APPROVAL:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.
 ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.
 RID, International Regulations on Transport of Dangerous Goods by Rail.
 IMDG, International Maritime Dangerous Goods Code, for sea transport.
 ICAO Technical Instructions for the Safe Transport of Dangerous Goods by Air.
 IATA Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials. The packaging has been permeability tested according to ADR/RID. Compatibility testing has been carried out according to ADR/RID with the content listed below:

#: Closure	Standard liquid	Max. rel. density	Max. vapour pressure, kPa at +50°C
1,2	water	1.2	142
1,2	n-butyl-acetate	1.2.	142
1,2	acetic acid	1.2	142
1,2	wetting agent	1.2	142
1,2,3	white spirit	1.0	142

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET0101B	23.11.2007	NET	Type approval
NET0101	03.07.2009	NET	Type approval
NET0101-1	27.10.2009	NET	Type approval
NET01T08	27.01.2015	NET	Type testing

LERUM, SWEDEN

18.03.2015 CERTIFICATE IS VALID UNTIL:

31.03.2020


 Susanne E. Dahlberg
 Certification Officer



 Rune Madsen Fink
 Control Officer

Nordisk Emballasje Testing AS Certification