



# PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NETO335C

# **HOLDER OF CERTIFICATE:**

## **Greif Sweden AB**

MANUFACTURER: Greif Sweden AB, Box 23, SE-311 23 Falkenberg, Sweden

MARKING ON PACKAGING: (1) 1A1/X1.2/250/YR/N/NET0335C - ID

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

### **PRODUCT:**

Packaging code	Description	Material
1A1	Steel drums, non-removable head	Steel Sheet

#### **CLOSING MECHANISM:**

#: Closure type	Producer	Drawings	Material	Gasket	Torque
1: 2" Bung	Tri-Sure	TSN-925089	Steel	PE / EPDM /	20 Nm
				Nitril	
2: 3/4" Bung	Tri-Sure	TSN-925096	Steel	PE / EPDM /	15 Nm
				Nitril	
3: 2" Bung,	Tri-Sure	TSN-939323	Steel	EPDM / PE /	20 Nm
ventilated				Nitril	
4: 2" Bung	Tri-Sure	TSF-504622	Plastic	PE	20 Nm
5: 3/4" Bung	Tri-Sure	TSF-504950	Plastic	PE	15 Nm







VAT No.: 990 793 840

Bank account: 6250.05.22351

GPS: 59°03'25" N 9°40'70" E

NET0335C Page 1 of 3

Telephone +47 900 17025

E-mail: info@net17025.com

Web: www.net17025.com





#### **DIMENSIONS:**

Volume, I	Height, mm	Diameter, mm	Head / Body / Bottom, mm	Drawings
216.5	885	585	1.0 / 0.9 / 1.0	F3F-2616 Rev.B

#### **APPROVAL:**

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

### **REGULATIONS BASED UPON FOR APPROVAL:**

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

UN Recommendations on the Transport of Dangerous Goods.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA Dangerous Goods Regulations, for the air transport.

### **APPROVAL IS VALID FOR:**

The packaging is valid for packaging group I, II and III containing liquid substances that do not adversely affect the packaging materials.

Content	Max. relative density	Max. vapour pressure,	Closing mechanism #
		kPa at +50°C	
Liquid	1.2	200	1-5

#### **DOCUMENTS BASED UPON FOR APPROVAL:**

Report id.	Date	Issued by	Scope
BRA99AAAAB8	16.03.1993	DNV	Type approval
NET0335B	15.04.2011	NET	Type approval
NET03TE24	21.12.2015	NET	Technical evaluation,
			thickness distribution

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E





LERUM, SWEDEN

**21.12.2015** CERTIFICATE IS VALID UNTIL:

31.12.2020

Susanne E. Dahlberg Certification Officer Rune Madsen Fink Control Officer

Nordisk Emballasje Testing AS Certification

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E