



**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET6602A**

HOLDER OF CERTIFICATE:
RPC Promens Bjæverskov AS

MANUFACTURER: RPC Promens Bjæverskov AS, Industrivej 3, DK-4632 Bjæverskov, Denmark

MARKING ON PACKAGING:  **3H1/Y1.6/150/YR/N/NET6602A - ID**

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

The packaging shall also be appropriately marked with the month of the manufacture.

PRODUCT:

Packaging code	Description	Drawings	Material
3H1	Plastics jerricans, non-removable head	PROMENS 15 L	Sabic ICP5602

CLOSING MECHANISM:

Closure type	Producer	Drawings	Material	Gasket	Torque, Nm
Screw cap	RPC Promens Industrial UK	V 6125-OV	Basell ACP 5331A	Top-Seals PTFE/EPE 200/PET	20
Screw cap	Bericap GmbH	ENG-00-008695	Ineos Rigidex HD5050EA	Alkozell 300 PE	16
Screw cap	Bøjco A/S, Denmark	3-28 B	PP, Ineos 101-SA09	Coreseal(R)400 0	Ht
Sealing	MGJ, France	102017407	Coreseal(R)400 0	* Welded on air vented spout	Welded



DIMENSIONS:

Packaging weight, g	Volume, l	Height, mm	Width, mm	Length, mm	Neck size, mm
840.9 - 902.2	15	316	258	295	61

APPROVAL:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.
 ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.
 RID, International Regulations on Transport of Dangerous Goods by Rail.
 IMDG, International Maritime Dangerous Goods Code, for sea transport.
 ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.
 IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials. Compatibility testing has been carried out according to ADR/RID with the content listed below:

Content	Max. relative density	Max. vapour pressure, kPa at +50°C
Water	1.6	142
Acetic acid	1.1	142

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET6601A	25.02.2011	NET	Additional test, cap
NET6602A	10.03.2011	NET	Additional test, cap

G-10.293/p.9of11	13.11.2013	BVI	Additional test, cap
NET6602C	17.12.2015	NET	Type approval

LERUM, SWEDEN

14.01.2016 CERTIFICATE IS VALID UNTIL:**31.01.2021**Susanne E. Dahlberg
Certification OfficerRune Madsen Fink
Control Officer*Nordisk Emballasje Testing AS Certification*