




**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET6401A**

HOLDER OF CERTIFICATE:
Emballator Mellerud Plast AB

MANUFACTURER: Emballator Mellerud Plast AB, Industrigatan 2, S-464 22 Mellerud SWEDEN

MARKING ON PACKAGING:  **3H1/Y1.9/200/YR/N/NET6401A - ID**
 "YR" to be replaced with the two last digits of the year.
 "ID" to be replaced by any identification as decided by the manufacturer.
 The packaging shall also be appropriately marked with the month of the manufacture.

PRODUCT:

Packaging code	Description	Drawings	Material
3H1, Plastics jerricans	with non-removable head	Falkemballage 20 l	HDPE
3H1, Plastics jerricans	with non-removable head	Falkemballage 25 l	HDPE
3H1, Plastics jerricans	with non-removable head	Falkemballage 30 l	HDPE

CLOSING MECHANISM:

#: Closure type	Producer	Drawings	Material	Gasket	Torque
1: Screw cap (SK 60)	Bericap GmbH	1361701	Ineos Rigidex 5050EA	Alkozell 300	20 Nm
2: Screw cap	Modulpac AB	25 PMO	Chevron Phillips Marlex 5502BN	Foamed PE	Hand Torque
3: Screw cap (SK 60), venting	Bericap GmbH	1361702	Ineos Rigidex 5050EA	Alkozell 300	20 Nm



DIMENSIONS:

Weight of can, g	Volume, l	Height, mm	Width, mm	Length, mm	Neck size, mm
1068-1121	20	384	260	292	48.6
1167-1225	25	444	260	292	48.6
1279-1342	30	510	260	292	48.6

APPROVAL:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials. Compatibility testing has been carried out according to ADR/RID with the content listed below:

Content	Max. relative density	Max. vapour pressure+50°C, kPa	Closure #
n-Butyl acetate	1.0	142	1,2
Wetting solution	1.2	171	1,2,3
Water	1.9	171	1,2,3
White spirit	1.0	142	1,2
Acetic acid	1.2	171	1,2

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
GV/gv/G-11.226	24.10.2011	BVI	Type testing
NET6401A	16.12.2011	NET	Type approval

LERUM, SWEDEN

26.01.2016 CERTIFICATE IS VALID UNTIL:

31.01.2021



Susanne E. Dahlberg
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification