



**PRODUCT APPROVAL OF PACKAGING
FOR
TRANSPORTATION OF DANGEROUS GOODS**

CERTIFICATE NO.: NET4502A

Holder of certificate: Nefab Production Runemo AB
Nordgrens väg 5
S-822 81 Alfta
Sweden

Manufacturer: Nefab Production Runemo AB
Nordgrens väg 5
S-822 81 Alfta
Sweden

Product:	Packaging code	Description	Product identification	Material
	4D	Plywood box intended for battery UN3480.	Plywood box, ExPak type-A, with 2 plastic bags as inner liner. The outer one is acid proof. Drawing No: 322749-200	5-layer plywood Thickness: 6 mm

Closing mechanism:	No.	Closure type	Product identification	Material
	1	Locking clips in top and bottom. (2 clips on front side and 1 clip on each short side.)	4 locking clips in top and bottom.	Plastic (PE)

Photo:



Marking on packaging:  **4D/X25/S/YR/N/NET4502A – ID**

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

Approval:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations on Transportation of Dangerous Goods on road and railway § 11-1, 7th segment.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) RSR-13-2008 (02.09.2008).

NET issues the certification on described product according to approval from Norwegian Civil Aviation Authority (Luftfartstilsynet) based on BSL D 1-7, § 10, ICAO-TI, Chapter 4 and UN Model Regulation, part 6.

Regulations based upon for approval:

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

UN Recommendations on the Transport of Dangerous Goods.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA Dangerous Goods Regulations, for the air transport.

The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instruction.

Dimensions, packaging group, gross weight and content:

No.	Length, mm	Width, mm	Height, mm	Packaging group: Max. gross weight	Content
1	380	280	220	I, II and III: 25 kg	Lithium ion Battery, UN 3480, packed with vermiculite

Documents based upon for approval:

Report id.	Date	Issued by	Scope
NET4502A	07.02.2012	NET	Type testing

Lerum, Sweden: 07.02.2012
Certificate is valid until:
28.02.2017

Susanne Dahlberg
 Certification Officer


Rune Madsen Fink
 Control Officer

Nordisk Emballasje Testing AS
Certification