



PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET6706A

HOLDER OF CERTIFICATE:
Emballator Ulricehamns Bleck AB

MANUFACTURER: Emballator Ulricehamns Bleck AB, Maskinvägen 10, SE-52321
Ulricehamn, Sweden
Emballator UK Ltd, Unit 1, City Link Industrial Estate, Phoenix Way,
Bradford BD4 8JP, United Kingdom

MARKING ON PACKAGING:  **1A2/Y2.0 Z3.0/100/YR/N/NET6706A - ID**

"YR" to be replaced with the two last digits of the year.



"ID" to be replaced by any identification as decided by the manufacturer.

PRODUCT:

Packaging code	Description	Material
1A2, steel drums, removable head	UN-pail 285 mm with two beads.	Steel sheet TS 275 (T57)

CLOSING MECHANISM:

#: Closure type	Drawings	Material	Gasket
1: Lug lid	66202-02	Steel	PVC
2: Lug lid with plastic closure S2	66107-02	Steel	PVC



DIMENSIONS:

#: Volume, l	Height, mm	Diameter, mm	Head / Body / Bottom, mm	Drawing
1: 10	225	285	0.49 / 0.38 / 0.38	6605-02
2: 12	238	285	0.49 / 0.38 / 0.38	6607-02
3: 15	295	285	0.49 / 0.38 / 0.38	6631-02
4: 20	372 / 388	285	0.49 / 0.38 / 0.38	6611-02 / 6627-03

APPROVAL:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.
ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.
RID, International Regulations on Transport of Dangerous Goods by Rail.
IMDG, International Maritime Dangerous Goods Code, for sea transport.
ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.
IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials.

Content	Max. relative density	Max. vapour pressure, kPa at +50°C	Packaging group
Liquids	2.0	114	II
Liquids	3.0	114	III

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
92M12023	27.08.1992	SP	Type approval
97H60374B	17.07.1997	SP	Type approval
NET6706TE01	26.05.2010	NET	Technical evaluation

LERUM, SWEDEN

25.04.2016 CERTIFICATE IS VALID UNTIL:

30.04.2021



Susanne E. Dahlberg
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification