




**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET0250A**

HOLDER OF CERTIFICATE:
RPC Promens AS, Kambo

MANUFACTURER: RPC Promens AS, Kambo Packaging, Boks 3054, N-1506 Moss, Norway.
Emballator Mellerud Plast AB, Industrigatan 2, S-464 22 Mellerud SWEDEN

MARKING ON PACKAGING:  **3H1/Y1.9/200/YR/N/NET0250A - ID**
"YR" to be replaced with the two last digits of the year.
"ID" to be replaced by any identification as decided by the manufacturer.
The packaging shall also be appropriately marked with the month of the manufacture.

PRODUCT:

Packaging code	Description	Drawings	Material
3H1, Plastics jerricans	non-removable head	W3405 Rev.A	HDPE B5210

CLOSING MECHANISM:

Closure type	Producer	Drawings	Material	Gasket	Torque
Screw cap, 61	Bergi-plast GmbH	Kanisterverschluss nr. 61 rev 8	HDPE	EPE liner	20 Nm
Screw cap, 61	RPC Promens Industrial UK	RPC Promens DIN 61 Ver.2	HDPE	EPE liner	20 Nm
Screw cap, 61	Emballator Växjöplast AB	12575 18.08.15	HDPE	EPE/PET liner	20 Nm
Screw cap, 25	Modulpac AB	7250001	HDPE	ALKOzell	3 Nm




DIMENSIONS:

#: Packaging weight, g	Volume, l	Height, mm	Width, mm	Length, mm	Neck size, mm
1: 1050.4 - 1521.0	25.0	440	260	295	47.6 / 11.5
2: 922.2 - 1335.4	20.0	370	260	295	47.6 / 11.5

APPROVAL:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.
 ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.
 RID, International Regulations on Transport of Dangerous Goods by Rail.
 IMDG, International Maritime Dangerous Goods Code, for sea transport.
 ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.
 IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials. Permeability test has been carried out according to ADR 6.1.5.7. Compatibility testing has been carried out according to ADR/RID with the content listed below:

Content	Max. relative density	Max. vapour pressure, kPa at +50°C
Water	1.9	171
Wetting solution	1.2	171
Acetic Acid	1.2	171
n-Butyl acetate	1.0	171
White spirit	1.0	171

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET0250A	13.01.2016	NET	Type approval
NET0250A3	02.12.2015	NET	Additional type test, cap
NET0250B	13.01.2016	NET	Additional type test, cap
NET0250A4	04.05.2016	NET	Type approval, production site

NET02TE03	11.05.2016	NET	Technical evaluation, 20L
-----------	------------	-----	---------------------------

LERUM, SWEDEN

13.05.2016 CERTIFICATE IS VALID UNTIL:**31.05.2021**Susanne E. Dahlberg
Certification OfficerRune Madsen Fink
Control Officer*Nordisk Emballasje Testing AS Certification*