



PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET0200MAL

HOLDER OF CERTIFICATE:
RPC Promens AS, Kambo

MANUFACTURER: RPC Promens AS, Kambo Packaging, Boks 3054, N-1506 Moss, Norway.

MARKING ON PACKAGING:  **3H1/Y1.9/200/YR/N/NET0250A - ID**

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

The packaging shall also be appropriately marked with the month of the manufacture.

PRODUCT:

Packaging code / Volume	Description	Drawings / Product	Material
3H1, 25 L	Plastics jerrycans	W3405 Rev.A / 9493	Material navn
3H1, 20 L	Plastics jerrycans	W3405 Rev.20L / 9496	Material navn

CLOSING MECHANISM:

#: Closure type	Producer	Drawings	Material	Gasket	Torque
1: Screw cap, 61	Bergi-plast GmbH	Kanisterverschluss nr. 61 rev 8	Material navn	EPE liner	20 Nm
2: Screw cap, 25	Modulpac AB	7250001	Material navn	ALKOzell	3 Nm



DIMENSIONS:

#: Packaging weight, g	Volume, l	Height, mm	Width, mm	Length, mm	Neck size, mm (kork diameter)
1: 1050.4 - 1521.0	25.0	440	260	295	61 / 25

2: 922.2 - 1335.4	20.0	370	260	295	61 / 25
----------------------	------	-----	-----	-----	---------

APPROVAL:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.
ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.
RID, International Regulations on Transport of Dangerous Goods by Rail.
IMDG, International Maritime Dangerous Goods Code, for sea transport.
ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.
IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials. Permeability test has been carried out according to ADR 6.1.5.7. Compatibility testing has been carried out according to ADR/RID with the content listed below:

Content	Max. relative density	Max. vapour pressure, kPa at +50°C
Water	1.9	171
Wetting solution	1.2	171
Acetic Acid	1.2	171
n-Butyl acetate	1.0	171
White spirit	1.0	171

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET0250A	13.01.2016	NET	Type approval

LERUM, SWEDEN

13.05.2016 CERTIFICATE IS VALID UNTIL:

31.05.2021


Susanne E. Dahlberg
Certification Officer


Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification