



# PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET9202A

**HOLDER OF CERTIFICATE:** 

## **Kongsberg Defence & Aerospace AS**

MANUFACTURER: Kongsberg Defence & Aerospace AS, Kirkegårdsvegen 45, 3616

Kongsberg, Norway

MARKING ON PACKAGING: (1) 1H2/Z1.0/100/YR/N/NET9202A - ID

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

The packaging shall also be appropriately marked with the month of the manufacture.

## **PRODUCT:**

Packaging code	Description	Drawings	Material
1H2	Plastic drums, removable	JSM-FT-9202	Plastic
	head		

#### **CLOSING MECHANISM:**

Closure type	Producer	Drawings	Material	Gasket	Torque
Lid	Konsberg	JSM-FT-9202	Aluminum	Rubber	-
	Defence &				
	Aerospace AS				
42 pc of M4,	Arvid Nilsson	-	Steel	-	2 Nm
conical head					
screw					

### **DIMENSIONS:**

Packaging weight, kg	Volume, I	Height, mm	Max. diameter, mm
10.75	60.0	996.5	350

Telephone +47 900 17025

E-mail: info@net17025.com

Web: www.net17025.com

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E



#### APPROVAL:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

#### **REGULATIONS BASED UPON FOR APPROVAL:**

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

## **APPROVAL IS VALID FOR:**

The packaging is valid for packaging group III containing liquid substances listed as content in table below. The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instructions.

Content	· ·	Max. vapour pressure, kPa at +50°C	Packaging group
Liquid, UN1863	1.0	114	III
Liquid, UN1993	1.0	114	III

#### **DOCUMENTS BASED UPON FOR APPROVAL:**

Report id.	Date	Issued by	Scope
NET9202A	08.11.2016	NET	Type approval

LERUM, SWEDEN

**08.11.2016** CERTIFICATE IS VALID UNTIL:

30.11.2021

Susanne E. Dahlberg Certification Officer Rune Madsen Fink Control Officer

Nordisk Emballasje Testing AS Certification

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E