



**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET6601C**

HOLDER OF CERTIFICATE:
RPC Promens Bjæverskov AS

MANUFACTURER: RPC Promens Bjæverskov AS, Industrivej 3, DK-4632 Bjæverskov, Denmark

MARKING ON PACKAGING:  **3H1/Y1.9/150/YR/N/NET6601C - ID**

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

The packaging shall also be appropriately marked with the month of the manufacture.

PRODUCT:

Packaging code	Description	Drawings	Material
3H1, Plastics jerricans	non-removable head	Promens_5_5L	Hostalen ACP 5331 A
3H1, Plastics jerricans	non-removable head	Promens_5L	Hostalen ACP 5331 A

CLOSING MECHANISM:

#: Closure type	Producer	Drawings	Material	Gasket	Torque Nm
1: Screw cap, 61 mm	Promens Packaging Ltd	V 6125-OV	Hostalen ACP 5331 A	PTFE/EPE 200/PET	20
2: Screw cap, 61 mm	BERICAP GmbH	ENG-00-008695	Rigidex HD5050EA	ALKOzell 300	20
3: Screw cap, 61 mm	BERICAP GmbH	ENG-00-057347	Rigidex HD5050EA	Pulp TT2-562	20
4: Screw cap, 61 mm	Borring Plast AS	02.1633.A	Exxon Mobil HMA 014	none	5




DIMENSIONS:

#: Packaging weight, g	Volume, l	Height, mm	Width, mm	Length, mm	Neck size, mm
1: 250.7 - 349.6	5.5	265	150	193	61
2: 238.1 - 332.0	5.0	246	150	193	61
3: 238.1 - 332.0	5.0	246	150	193	43

APPROVAL:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB):

Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials.

Permeability testing has been carried out according to ADR/RID 6.1.5.7 with white spirit.

Compatibility testing has been carried out according to ADR/RID with the content listed below:

Content	Max. relative density	Max. vapour pressure, kPa at +50°C	Packaging # / Closure #
Water	1.9	114	3 / 4
Water	1.6	142	1,2,3 / 1,2,3,4
Nitric acid	1.4	114	3 / 4
Wetting agent	1.2	114	3 / 4
Acetic acid	1.1	142	1,2,3 / 1,2,3,4
Mixture of hydrocarbons	1.0	114	3 / 4
n-Butylacetate	1.0	114	3 / 4

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET6601C	05.05.2015	NET	Type approval
NET6601C2	13.01.2016	NET	Additional test, new neck, water
NET6601C3	09.02.2016	NET	Additional test, increased weight
NET6601C4	01.04.2016	NET	Additional test, new neck; wa, n-Ba, ws, aa
NET6601C4-NA	04.10.2016	NET	Additional test, Nitric acid

LERUM, SWEDEN

04.11.2016 CERTIFICATE IS VALID UNTIL:

30.11.2021



Susanne E. Dahlberg
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification