



PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET8302A

HOLDER OF CERTIFICATE:

Lefab Production AB

MANUFACTURER: Lefab Production AB, Fabriksvägen 3, SE-446 37 Älvängen, Sweden

MARKING ON PACKAGING:

(3) 3H1/Y1.1/100/YR/N/NET8302A - ID

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

The packaging shall also be appropriately marked with the month of the manufacture.

PRODUCT:

Packaging code	Description	Drawings	Material
3H1	Plastics jerricans,	Hannells 078	HDPE, grade name in
	non-removable head		report

CLOSING MECHANISM:

Closure type	Producer	Drawings	Material	Gasket	Torque
Screw cap	Modulpac AB	8400013 -	HDPE / HDPE,	None	6 Nm
		150199	grade names in		
			report		





DIMENSIONS:

Packaging weight, g	Volume, I	Height, mm	Width, mm	Length, mm
146.6 - 154.0	4.0	248	130	188

Telephone +47 900 17025 E-mail: <u>info@net17025.com</u> Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E



APPROVAL:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances. The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instructions. Compatibility testing has been carried out according to ADR/RID with the content listed below:

Content	Max. relative density	Max. vapour pressure, kPa at +50°C
Acetic acid	1.1	114

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET0704C	29.12.2009	NET	Type approval
NET8302A	23.11.2016	NET	Type testing

LERUM, SWEDEN

23.11.2016 CERTIFICATE IS VALID UNTIL:

30.11.2021

Susanne E. Dahlberg Certification Officer Rune Madsen Fink Control Officer

Nordisk Emballasje Testing AS Certification

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E