



**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET0214C**

HOLDER OF CERTIFICATE:
RPC Promens AS, Kambo Packaging

MANUFACTURER: RPC Promens AS, Kambo Packaging, Boks 3054, N-1506 Moss, Norway

MARKING ON PACKAGING:  **3H1/Y1.9/150/YR/N/NET0214C - ID**

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

The packaging shall also be appropriately marked with the month of the manufacture.

PRODUCT:

Packaging code	Description	Drawing	Material
3H1, Plastics jerricans	non-removable head	A1-067-E 10.05.99	Sabic B5210

CLOSING MECHANISM:

Closure type	Producer	Drawings	Material	Gasket	Torque, Nm
Screw cap	KTH GmbH	V 5162 v.1	Marlex HXM 50100	Procell-E	15
Screw cap, vented	KTH GmbH	V 5104	Marlex HXM 50100	Procell-E	15
Screw cap	RPC Promens	A3-030-E	Sabic B5823	Alkozell 200	15
Screw cap	RPC Promens	A3-030-E	Sabic B5823	Polycell 300	15



DIMENSIONS:

Packaging weight, g	Volume, l	Height, mm	Width, mm	Length, mm	Neck size, mm
452.7 - 489.9	10	302	195	225	55

APPROVAL:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.
 ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.
 RID, International Regulations on Transport of Dangerous Goods by Rail.
 IMDG, International Maritime Dangerous Goods Code, for sea transport.
 ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.
 IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

Permeability test has been carried out according to ADR 6.1.5.7. Compatibility testing has been carried out according to ADR/RID with the content listed below:

Content	Max. relative density	Max vapour pressure, kPa at 50°C
Water	1.9	142
Nitric acid	1.4	142
Wetting solution	1.2	142
Acetic acid	1.2	142
n-Butyl acetate	1.0	142
White spirit	1.0	142

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
V.6/10473/07	01.05.2007	BAM	Type approval
NET0214C	24.01.2011	NET	Type approval

LERUM, SWEDEN

25.11.2016 CERTIFICATE IS VALID UNTIL:

30.11.2021


 Susanne E. Dahlberg
 Certification Officer



 Rune Madsen Fink
 Control Officer

Nordisk Emballasje Testing AS Certification