




**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET0407B**

HOLDER OF CERTIFICATE:
RPC Promens AS, Kambo Packaging

MANUFACTURER: RPC Promens AS, Kambo Packaging, Boks 3054, N-1506 Moss, Norway

MARKING ON PACKAGING:  **3H1/Y1.9/100/YR/N/NET0407B - ID**
 "YR" to be replaced with the two last digits of the year.
 "ID" to be replaced by any identification as decided by the manufacturer.
 The packaging shall also be appropriately marked with the month of the manufacture.

PRODUCT:

Packaging code	Description	Drawings	Material
3H1, Plastics jerricans	non-removable head	A1-067-E 10.05.99	HDPE, Total 51090

CLOSING MECHANISM:

Closure type	Producer	Drawings	Material	Gasket	Torque, Nm
Screw cap	KTH GmbH	V 5162 v.1	Marlex HXM 50100	Procell-E	15
Screw cap, vented	KTH GmbH	V 5104	Marlex HXM 50100	Procell-E	15
Screw cap	RPC Promens	A3-030-E	Sabic B5823	Alkozell 200	15
Screw cap	RPC Promens	A3-030-E	Sabic B5823	Polycell 300	15



DIMENSIONS:

Packaging weight, g	Volume, l	Height, mm	Width, mm	Length, mm	Neck size, mm
453-475	10.0	302	195	225	55

APPROVAL:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.
 ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.
 RID, International Regulations on Transport of Dangerous Goods by Rail.
 IMDG, International Maritime Dangerous Goods Code, for sea transport.
 ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.
 IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials. Compatibility testing has been carried out according to ADR/RID with the content listed below:

Content	Max. relative density	Max. vapour p., kPa at +50°C
Water	1.9	142
Nitric acid	1.4	142
Wetting solution	1.2	142
n-Butyl acetate	1.0	142
White spirit	1.0	142

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
333502	06.06.2000	BVT	Type approval
SSGU05003	08.03.2005	Borealis	Type approval
P502042	03.06.2005	SP	Type approval
P601031A	20.04.2006	SP	Additional type approval
NET0407B	30.01.2008	NET	Technical evaluation
NET0214C	24.01.2011	NET	Additional testing, cap

LERUM, SWEDEN

25.11.2016 CERTIFICATE IS VALID UNTIL:

30.11.2021



Susanne E. Dahlberg
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification