




**PRODUCT APPROVAL OF PACKAGING  
FOR TRANSPORTATION OF DANGEROUS GOODS  
CERTIFICATE NO.: NET6714A**

HOLDER OF CERTIFICATE:  
**Emballator Ulricehamns Bleck AB**

**MANUFACTURER:** Emballator Ulricehamns Bleck AB, Maskinvägen 10, SE-52321 Ulricehamn, Sweden

**MARKING ON PACKAGING:**  **1A2/Y1.4 Z2.0/100/YR/N/NET6714A - ID**  
"YR" to be replaced with the two last digits of the year.  
"ID" to be replaced by any identification as decided by the manufacturer.

**PRODUCT:**

Packaging code	Description	Drawings	Material
1A2, steel drums, removable head	UN pail 180, with one or none beads	100548	Steel sheet TS275

**CLOSING MECHANISM:**

#: Closure type	Drawings	Material	Gasket
1: Press-in lid with locking ring in plastic, with or without HZB in center	100031 / 64204-01	Steel sheet	PVC
2: Press-in lid with locking ring in plastic	100031	Steel sheet	Polyurethane



**DIMENSIONS:**

#: Volume, l	Height, mm	Diameter, mm	Head / Body / Bottom, mm	Drawing
1: 6.0	291	180	0.25 / 0.35 / 0.30	100354
2: 6.0 one bead	288	180	0.25 / 0.25 / 0.30	100548
3: 5.0	260	180	0.25 / 0.25 / 0.30	100633
4: 5.0	244	180	0.25 / 0.25 / 0.30	100132
5: 4.0	202	180	0.25 / 0.25 / 0.30	100134
6: 3.0	162	180	0.25 / 0.25 / 0.30	100135
7: 2.5	148	180	0.25 / 0.25 / 0.30	100136

**APPROVAL:**

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

**REGULATIONS BASED UPON FOR APPROVAL:**

UN Recommendations on the Transport of Dangerous Goods.  
 ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.  
 RID, International Regulations on Transport of Dangerous Goods by Rail.  
 IMDG, International Maritime Dangerous Goods Code, for sea transport.  
 ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.  
 IATA, Dangerous Goods Regulations, for the air transport.

**APPROVAL IS VALID FOR:**

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials. The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instructions.

Content	Max. relative density	Packaging group	Max. vapour pressure, kPa at +50°C
Liquid	1.4	II	114
Liquid	2.0	III	114

**DOCUMENTS BASED UPON FOR APPROVAL:**

Report id.	Date	Issued by	Scope
NET6714A-1	20.03.2013	NET	Type approval
NET6714A	05.11.2010	NET	Type approval
NET6714A3	30.11.2015	NET	Stacking test
NET67TE07	18.11.2016	NET	Technical evaluation, L1, D3

LERUM, SWEDEN

**06.12.2016** CERTIFICATE IS VALID UNTIL:

**31.12.2021**



Susanne E. Dahlberg  
Certification Officer



Rune Madsen Fink  
Control Officer

*Nordisk Emballasje Testing AS Certification*