




**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET0216A**

HOLDER OF CERTIFICATE:
RPC Promens AS, Kambo Packaging

MANUFACTURER: RPC Promens AS, Kambo Packaging, Boks 3054, N-1506 Moss, Norway

MARKING ON PACKAGING:  **3H1/Y1.9/150/YR/N/NET0216A - ID**
 "YR" to be replaced with the two last digits of the year.
 "ID" to be replaced by any identification as decided by the manufacturer.
 The packaging shall also be appropriately marked with the month of the manufacture.

PRODUCT:

Packaging code	Description	Drawing	Material
3H1, Plastics jerricans	non-removable head, corrugated bottom	A1-040-E	Sabic B5210

CLOSING MECHANISM:

Closure type	Producer	Drawings	Material	Gasket	Torque, Nm
1: Screw cap, 60 mm	KTH GmbH	SK-61/16	Finathene SI508	Alkozell 200	15 Nm
2: Screw cap, 55 mm	KTH GmbH	KTH-51/6	Finathene SI508	Alkozell 200	15 Nm
3: Screw cap, 55 mm	KTH GmbH	SK-51/16	Finathene SI508	Alkozell 200	15 Nm
4: Screw cap, 40 mm	Modulpac AB	40BPP10R16	ExxonMobil: HYA600	Alkozell	6 Nm
5: Screw cap, 40 mm	Modulpac AB	40BPP33R16	ExxonMobil: HYA600	Alkozell	6 Nm
6: Screw cap, 60 mm	RPC Promens Packaging Ltd	Din61 issue-2	Basell 5331A	PE foam	20 Nm
7: Screw cap, 55 mm	RPC Promens	Pilfer proof Din 51	Finathene SI508	EPE	15 Nm
8: Screw cap, 40 mm	Modulpac AB	40BGPP	ExxonMobil: HYA600	Alkozell	6 Nm


DIMENSIONS:

Packaging: weight, g	Volume, l	Height, mm	Width, mm	Length, mm	Neck size, mm
458.2 - 481.1	10	312	190	230	60
450.9 - 473.4	10	312	190	230	55
448.2 - 470.6	10	312	190	230	40

APPROVAL:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials. Compatibility testing has been carried out according to ADR/RID with the content listed below:

Content	Max. relative density	Max. vapour pressure, kPa at +50°C	Closure #
Water	1.9	142	1,2,5,6,7,8
Nitric acid	1.4	142	1,2,3,6,7,8
Wetting solution	1.2	142	1,2,5,6,7,8
Acetic acid	1.2	142	1,2,5,6,7,8
n-Butylacetate	1.0	142	1,2,6,7,8
White spirit	1.0	142	1,2,4,6,7,8

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
V.6/10473/07	01.05.2007	BAM	Comparative test
NET0216A	07.06.2011	NET	Type testing
NET0215D	08.08.2012	NET	Selective testing, cap 60
NET02T15	20.04.2016	NET	Selective testing, cap 60

NET0216A Page 2 of 3

NET0404A	05.10.2007	NET	Type approval
SSGU05002	15.02.2005	Borealis	Type approval
P501267	20.03.2005	SP	Type approval
080025	28.03.2008	TÜV	Type approval
NET0404B	18.03.2008	NET	Technical evaluation

LERUM, SWEDEN

12.01.2017 CERTIFICATE IS VALID UNTIL:

31.01.2022



Susanne E. Dahlberg
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification