



**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET0208C**

HOLDER OF CERTIFICATE:
RPC Promens AS, Kambo Packaging

MANUFACTURER: RPC Promens AS, Kambo Packaging, Boks 3054, N-1506 Moss, Norway

MARKING ON PACKAGING:  **3H1/Y1.9/150/YR/N/NET0208C - ID**

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

The packaging shall also be appropriately marked with the month of the manufacture.

PRODUCT:

Packaging code	Description	Drawing	Material
3H1	Plastics jerricans, non-removable head	B-30913 (9457)	Sabic B5210
3H1	Plastics jerricans, non-removable head, corrugated bottom	B-30896A (9454)	Sabic B5210

CLOSING MECHANISM:

#: Closure type	Producer	Drawings	Material	Gasket	Torque
1: Screw cap	Modulpac AB	40B	Outer cap: HMA025 - Inner cap: HYA600	PET/Alkozell	5 Nm
2: Screw cap	Modulpac AB	40PM-UN	ExxonMobil: HYA600	Cone sealing	10 Nm
3: Screw cap	Promens AS, Kambo Packaging	S-3101 16.06.15	ExxonMobil: HYA600	Cone sealing	6 Nm
4: Screw cap	Modulpac AB	40PMF	Chevron Phillips: Marlex 5502BN	Cone sealing	6 Nm
5: Screw cap	Modulpac AB	40B	Outer cap: HMA025 - Inner cap: POM C9N	PET/Alkozell/ PET	5 Nm



DIMENSIONS:

Packaging #: weight, g	Volume, l	Height, mm	Width, mm	Length, mm	Neck size, mm
1: 130 - 270	4	249	129	193,5	40
2: 160 - 270	4	249	129	193,5	40
3: 150 - 288	5	286,5	129	193,5	40
4: 180 - 288	5	286,5	129	193,5	40

APPROVAL:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.
 ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.
 RID, International Regulations on Transport of Dangerous Goods by Rail.
 IMDG, International Maritime Dangerous Goods Code, for sea transport.
 ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.
 IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III, with max vapour pressure 142 kPa at 50°C, containing liquid substances that do not adversely affect the packaging materials. Permeability test has been carried out according to ADR 6.1.5.7. Compatibility testing has been carried out according to ADR/RID with the content listed below:

Content	Max. relative density	Packaging #	Closure #
Water	1.9	1, 3	1, 2, 3
n-Butyl acetate	1.0	1, 3	1, 2, 3
White spirit	1.0	1, 3	1, 2, 3, 5

Acetic acid	1.1	1, 3	1, 2, 3, 4
Wetting solution	1.2	2, 4	1, 2, 3
Acetic acid	1.2	2, 4	1, 2, 3

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET0203A	27.03.2007	NET	Type testing
NET0208A	06.11.2007	NET	Technical evaluation
NET0203C	26.01.2009	NET	Type testing
NET0208C	26.01.2009	NET	Technical evaluation
NET02T07	07.06.2012	NET	Type testing
NET0208C-1	04.09.2013	NET	Type testing
NET28POM40B	29.03.2017	NET	Additional test, cap 5

PORSGRUNN, NORWAY

27.04.2017 CERTIFICATE IS VALID UNTIL:

30.04.2022


 Geir Morten Johansen
 Certification Officer



 Rune Madsen Fink
 Control Officer

Nordisk Emballasje Testing AS Certification