



PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET6903A

HOLDER OF CERTIFICATE:

MPP Sverige AB

MANUFACTURER: MPP Sverige AB, Fjärås Industriväg 17, 43974 Fjärås

MARKING ON PACKAGING: (31A/Y/MMYY/N/NET6903A - ID/KG1/KG2

"MMYY" to be replaced with the month and year (last two digits) of manufacture.

The packaging shall also be appropriately marked in accordance with ADR 6.5.2.2.

PRODUCT:

Packaging code	Description	Material
31A	Steel IBCs, for liquids	Steel

CLOSING MECHANISM:

CEOSING FILCHANISM				
Closure type	Producer	Drawings	Material	Gasket
Cover with two	MPP Sverige AB	C3-05 Cover	S235JRG2	-
hinges				
Bung ¼"	EZZE	C3-02 Inner tank	Zink	PE tread tape
Bung 2"	EZZE	C3-02 Inner tank	Zink	PE tread tape
Cover flange, 100	MPP Sverige AB	C3-02 Inner tank	S235JRG2	Rubber
mm				
Manhole cover, 150	MPP Sverige AB	C3-02 Inner tank	S235JRG2	Rubber
mm				

ACCESSORIES:

Туре	Description / Drawing	Producer
Overfilling prevention device	Fill-o-Tron G7 & GOJ	Afriso Ema AB
Gas nozzle with armed tube	Aluminum w/brass connector	PIUSI, Italy
Pump	12/24V DC pump for diesel fuel	PIUSI, Italy
Spiral gauge	Top mounting / 8660-2	Rochester Int.
Ventilation valve, 2"	TSVV/Z8G	Mintor S.r.l.
Ventilation valve, 2"	Series 1656-2008xx	Gifts Manufacturing
½" suction pipe, 90° with fitted	Steel	-
ballvale		
1" suction pipe, 90° with fitted	Steel	-
ballvale		

NET6903A Page 1 of 3

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E

[&]quot;ID" to be replaced by the name or symbol of the manufacturer.

[&]quot;KG1" to be replaced by Stacking load from table on page 2.

[&]quot;KG2" to be replaced by Max. gross weight from table on page 2.





34" suction pipe, 90° with fitted	Steel	-
ballvale		
1/4" socket with "Rollover vent"	Aluminium	-
2" Fillcoupling	Braze	EZZE
2" Vent with ballvalve	Steel	Hydroscand



DIMENSIONS:

Tare weight, kg	Volume, I	Length, mm	width, mm	Height, mm	Drawing
1340	2954	2326	1597	1330	C3-00 TT300

APPROVAL:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III.

Content	Max. relative	KG1, Max. stacking	KG2, Max. gross	Pressure test, kPa
	density	weight, kg	mass, kg	
Liquids	1.0	8100	4311	200

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope		
NET6903A	02.12.2016	NET	Type approval		
VTT-S-05267-16	20.12.2016	VTT	Vibration testing		

Telephone +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E





LERUM, SWEDEN

20.12.2016 CERTIFICATE IS VALID UNTIL:

31.12.2021

Susanne E. Dahlberg Certification Officer Rune Madsen Fink Control Officer

Nordisk Emballasje Testing AS Certification

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E