



# PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET6721A

**HOLDER OF CERTIFICATE:** 

# **Emballator Ulricehamns Bleck AB**

MANUFACTURER: Emballator Ulricehamns Bleck AB, Maskinvägen 10, SE-52321

Ulricehamn, Sweden

MARKING ON PACKAGING: (1) 1A1/X1.3 Y2.0 Z3.0/250/YR/N/NET6721A-ID

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

## **PRODUCT:**

Packaging code	Description	Material
1A1, Steel drums, non-removable	UN canister serie 105: 0.33 - 1.0 l	Steel Sheet TS 275
head		

#### **CLOSING MECHANISM:**

CEOSING PECHANISM				
Closure type	Producer	Drawings	Material	Torque
Screw cap with flex	Rieke Germany	P2	EVA/LDPE/HDPE	Seamed, no gasket
spout, P2	GmbH			
Screw cap with flex	BERICAP GmbH Co.	ENG-00-045613 a	EVA/LDPE/HDPE	Seamed, no gasket
spout, P2 REL	KG			







## **DIMENSIONS:**

Volume, I	Height, mm	,	Head / Body / Bottom, mm	Drawing
0.33 - 1.0	55 - 133	105		105 mm UN-dunk 55-133 mm

Telephone +47 900 17025

E-mail: <u>info@net17025.com</u>

Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E



#### APPROVAL:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

#### **REGULATIONS BASED UPON FOR APPROVAL:**

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

# **APPROVAL IS VALID FOR:**

The packaging is valid for packaging group I, II and III containing liquid substances that do not adversely affect the packaging materials.

Content	· ·	Max. vapour pressure, kPa at +50°C	Packaging group
Liquid	1.3	200	Ι
Liquid	2.0	200	II
Liquid	3.0	200	III

## **DOCUMENTS BASED UPON FOR APPROVAL:**

Report id.	Date	Issued by	Scope
P700055	27.03.2007	SP	Type approval
NET6721A	08.05.2015	NET	Type approval
NET6721A2	18.04.2017	NET	Additional type approval,
			increase density, change
			in wall thickness
NET6721A3	04.05.2017	NET	Additional type approval,
			P2 REL

PORSGRUNN, NORWAY 05.05.2017 CERTIFICATE IS VALID UNTIL: 31.05.2022

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E





Geir Morten Johansen Certification Officer

Nordisk Emballasje Testing AS Certification

Control Officer

Telephone +47 900 17025 VAT No.: 990 793 840
E-mail: info@net17025.com Bank account: 6250.05.22351
Web: www.net17025.com GPS: 59°03'25" N 9°40'70" E