




**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET3249B**

HOLDER OF CERTIFICATE:
DS Smith Packaging Sweden AB

MANUFACTURER: DS Smith Packaging Sweden AB, Bangårdsgatan 2-4, SE-331 26 Värnamo, SWEDEN

MARKING ON PACKAGING:  **50G/X/MMYY/N/NET3249B - ID/1000/350**
 "MMYY" to be replaced with the Month and year (last two digits) of manufacture.
 "ID" to be replaced by the name or symbol of the manufacturer.
 The packaging shall also be appropriately marked in accordance with ADR 6.6.3.3.1.

PRODUCT:

Packaging code	Description	Drawings	Material
50G	Large packaging intended for bottom lift.	20-01-2012	Fibreboard. Details in report.

CLOSING MECHANISM:

#: Closure type	Material
1: Tape, 50 mm	Reinforced PE
2: 2 pc of cargo straps	Polyester

INNER PACKAGING:

Type	Material	Dimensions
Inner liner, 50 µm	PE	3500 x 1865

DIMENSIONS:

Packaging weight, kg	Volume, l	Length, mm	Width, mm	Height, mm
15.7	705	1160	760	800

APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

UN Recommendations on the Transport of Dangerous Goods.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction; LP903. The content shall not adversely affect the packaging materials.

Note: The certificate does not apply to packaging intended for prototypes of Lithium Ion batteries according to special provisions 310, unless the battery is packed in an inner packaging of acid proof plastic.

Content	Stacking load, kg	Max. gross weight, kg	Packaging group
One single piece of Lithium Ion battery UN3480.	1000	350	I, II, III

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET3249B	10.02.2012	NET	Type approval

LERUM, SWEDEN

06.10.2016 CERTIFICATE IS VALID UNTIL:

31.10.2021


 Susanne E. Dahlberg
 Certification Officer



 Rune Madsen Fink
 Control Officer

Nordisk Emballasje Testing AS Certification