



PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET3280A

HOLDER OF CERTIFICATE: DS Smith Packaging Sweden AB

MANUFACTURER:

DS Smith Packaging Sweden AB, Bangårdsgatan 2-4, SE-331 26 Värnamo, SWEDEN

MARKING ON PACKAGING:

G 4G/Y20/S/YR/N/NET3280A - ID

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

The packaging shall also be appropriately marked with the month of the manufacture.

PRODUCT:

Packaging code	Description	Material
4G	Fibreboard boxes, design 0201	Details in report

CLOSING MECHANISM:

Closure type	Dimensions, mm	Material	
Таре	50 mm	Cross armed, glass fibre	

INNER PACKAGING:

Туре	Description	Material	Dimensions
Inner liner	Wrapped around the	LDPE	0.05 mm thick
	trays		
Tray	Three trays with five	PET	0.31 mm thick
	inflators in each		



DIMENSIONS:

Volume, I	Length, mm	Width, mm	Height, mm	Drawing
15.96	370	165	180	KD27440



APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirement of the applicable UN-code; UN 3268 and its packaging instruction; P902.

Content	Max. gross w	veight, kg	Packaging group	
Safety Devices according to DS	20		II and III	
Smith packaging instruction				

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET3280A	20.12.17	NET	Type approval

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.





INTERNATIONAL CERTIFICATE

PORSGRUNN NORGE

10.01.2018 CERTIFICATE IS VALID UNTIL:

31.01.2023

laci M. Johan

Geir Morten Johansen Certification Officer

Rune Madsen Fink Control Officer

Nordisk Emballasje Testing AS Certification

