




**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET3601A**

HOLDER OF CERTIFICATE:
Lilleborg AS

MANUFACTURER: Lilleborg AS, Postboks 673 Skøyen, Nedre Skøyen vei 26, , 0276 Oslo

MARKING ON PACKAGING:  **4G/Y21/S/YR/N/NET3601A - ID**
"YR" to be replaced with the two last digits of the year.
"ID" to be replaced by any identification as decided by the manufacturer.

PRODUCT:

Packaging code	Description	Material
4G	Fibreboard boxes	Bølgepapp BB27b

CLOSING MECHANISM:

Closure type
Glued

INNER PACKAGING:

Type	Producer	Drawing	Material
5 l Jerrycan, 3H1(...)NET0211 275 g	RPC Packaging AS, Kambo	B30796A	SHMW HDPE
Screw cap	Modulpac AB	40PMO	Exxon Mobil HDPE HYA 600
Oblat	Meyer GmbH	-	ALKOpore



DIMENSIONS:

Volume, l	Lenght, mm	Width, mm	Heighth, mm	Drawing
21.5	386	192	290	4060 Stanset WA

APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials. The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instructions.

Content	Max. relative density of liquid	Max. gross mass, kg
Liquids in NET0211 5 l blow moulded cans performed by RPC Packaging AS	1.3	21

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET3601A	21.09.2016	NET	Type testing
NET3601A3	14.11.2017	NET	Type approval

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



PORSGRUNN, NORWAY

14.11.2017 CERTIFICATE IS VALID UNTIL:

31.05.2018

A handwritten signature in blue ink, reading 'Geir M. Johansen'.

Geir Morten Johansen
Certification Officer

A handwritten signature in blue ink, reading 'Rune Madsen Fink'.

Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification

A large, faint watermark logo in the background, consisting of a stylized shield or emblem with a central vertical element and two curved side elements.