



## PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS

## CERTIFICATE NO .: NET0403A

Holder of certificate: Promens AS, Kambo Packaging

Manufacturer: Promens AS, Kambo Packaging Box 3054, (Brevikveien 535) N-1506 Moss NORWAY


**Product:** 

Packaging code	Description	Drawings	Material
3H1		25 liter Hydro-kanne, Drawing	Total HDPE
	non-removable head	no A1-048-E, 05.01.2005	56020 S

Closing mechanism:	Closure type	Material in cap	Gasket	Closing torque
	Screw Cap, 65 mm	Lupolen 4261 AG	Butyl rubber	20 Nm

Photo:





## Dimensions:

Volume, l	Weight, g	Height, mm	Width, mm	Length, mm
25	1500	428	263	296

## Marking on packaging: (h) 3H1/Y1.4/200/YR/N/NET0403A - ID

"YR" to be replaced with the two last digits of the year. "ID" to be replaced by any identification as decided by the manufacturer. The packaging shall also be appropriately marked with the month of the manufacture.



Approval:	from Norwegian Legal regulations § 11-1, 7th segr NET issues the c	e certification on described product according to delegated authority in Directorate for Civil Protection and Emergency Planning (DSB): ons on Transportation of Dangerous Goods on road and railway gment. e certification on described product according to delegated authority in Maritime Directorate (Sjøfartsdirektoratet) RSR-13-2008			
Regulations based upon for approval:	ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road. RID, International Regulations on Transport of Dangerous Goods by Rail. UN Recommendations on the Transport of Dangerous Goods. IMDG, International Maritime Dangerous Goods Code, for sea transport. ICAO Technical Instructions for the Safe Transport of Dangerous Goods by Air. IATA Dangerous Goods Regulations, for the air transport.				
Approval is valid for:	Liquid substances that do not adversely affect the packaging materials.Compatibility testing has been carried out according to ADR/RID with the standard liquids listed below.The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instructions.Packaging groupsStandard liquid densityMax. relative pressureMax. vapor pressureII og IIIwetting agent1.4200kPa				

**Basis for certification:** Type approval

Documents based upon for approval:	Report id.	Date	Issued by	Scope
	No. 070093	04.06.2007	ΤÜV	Type testing

Porsgrunn:

06.05.2009

**Geir Morten Johansen** Certification Officer

Nordisk Emballasje Testing AS Certification Certificate is valid until:

31.04.2013

une

Rune Madsen Fink Control Officer