



CONTAINER APPENDIX

HOLDER OF DOCUMENT:
Emballator Mellerud Plast AB

APPENDIX NO.: NET592CR02-01/02
TEST LABORATORY: NET Emballasje- og Produkttesting AS
TEST PERFORMED BY: Therese Rummelhoff
CONTROLLED BY: Rune Fink
MANUFACTURER CLOSURE: SPRIPAC AB, Mörsaregatan 11, SE-254 66 Helsingborg, Sweden
MANUFACTURER CONTAINER: Emballator Mellerud Plast AB, Industrigatan 6, 464 33 Mellerud, Sweden
APPROVAL: The Child-resistant closure is designed for reclosable packages, as child resistant and suitable for adults.




This appendix is only valid with a valid version of the certificate

TEST STANDARD: All tests are performed in accordance with NET accredited test method ATM003. The test method is accredited in accordance with NS-EN ISO/IEC 17025:2017 approved by Norsk Akkreditering and according to NS-EN ISO 8317:2015.



FIRST EVALUATION DATE: **06.12.2017** VALID UNTIL: **30.04.2028**



Rune Madsen Fink
Control Officer
BREVIK, NORWAY, 25.04.2023
NET Emballasje- og Produkttesting AS
Certification

Name	Part/drawing #	Material	Comments
Sprayer/ trigger HP-2	04CSD09000	PP Copolymer/ PVC/ Thermoplastic Elastomer/ Nitrile/ PE film/ foam	Injection moulding
Jerrican, 1000 ml	H0170-280-300 040527	Sabic HDPE B5421	Blow moulding






CERTIFICATE NO.: NET592CR02 **CHILD-RESISTANT PACKAGING**

HOLDER OF CERTIFICATE:
SPRIPAC AB

MANUFACTURER: SPRIPAC AB, Mörsaregatan 11, SE-254 66 Helsingborg, Sweden
CHILD RESISTANT CLOSURE: HP-2 Sprayer
ON VERIFIED CONTAINER: 1000 - 3000 ml Jerrican



TEST STANDARD:

An evaluation of the test results has been done in accordance with NET test method ATM003. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering. The child-resistant closure is designed for reclosable packages, as child resistant and suitable for adults according to ISO 8317:2015 and all the test results are within the given tolerance range.

TEST LABORATORY: **ANALYSIS:**

NET Emballasje- og Produkttesting AS, Norway
Containers with a valid appendix combined with HP-2 Sprayer/trigger confirmed as child resistant and suitable for adults.


VALIDITY:

This certificate is effective together with a valid appendix from NET for the actual container. The certificate is valid until expire date as long as no modifications are made to package, the material, the dimensions or the closure system.

DATE OF CERTIFICATION: **14.04.2023**

CERTIFICATE IS VALID UNTIL:

14.04.2028



Rune Madsen Fink
Control Officer
BREVIK, NORWAY 14.04.2023
NET Emballasje- og Produkttesting AS
Certification

THE FOLLOWING CLOSURES IS CERTIFIED ACCORDING TO ISO8317:

Name	Material	# Drawing no
HP-2 Sprayer	PP Copolymer/ PVC/ Thermoplastic Elastomer/ Nitrile/ PE film/ foam	04CSD09000

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Confirmed by	Scope
NET592CR02	23.11.2017	Inger Semb	ISO 8317 Certificate
NET592CR02 Re-test	14.04.2023	Therese Rummelhoff	Recertification

