# CONTAINER APPENDIX

HOLDER OF DOCUMENT:
**Emballator Växjö AB**

| | |
|---|---|
| **APPENDIX NO.:** | **NET16CR28-37/02** |
| **TEST LABORATORY:** | NET AS |
| **TEST PERFORMED BY:** | Therese Rummelhoff |
| **CONTROLLED BY:** | Rune Fink |
| **MANUFACTURER CLOSURE:** | Emballator Växjö AB, Smedjegatan 8, 35246, Växjö, Sweden |
| **MANUFACTURER CONTAINER:** | AB Kulleborn & Stenström, Hjärtared 117, 311 62 Ullared, Sweden |
| **APPROVAL:** | The child-resistant closure is designed for reclosable packages, ensuring safety for children while remaining easy for adults to use. |



**This appendix is only valid with a valid version of the certificate**

**TEST STANDARD:** ISO8317:2015 and NET/ATM003

NORSK AKKREDITERING TEST 259

FIRST EVALUATION DATE: **23.09.2024** VALID UNTIL: **30.11.2029**

Rune Madsen Fink
Control Officer
BREVIK, NORWAY, 23.09.2024
*NET AS*



NET AS
Blekebakkvegen 45
N-3950 Brevik
Telephone: +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com
VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E

| Tested package | Name | Part/drawing # | Volume | Material | Comments |
|---|---|---|---|---|---|
| Container | 1000ml<br>Pe-flaska | FH100028 | 1000 ml | HDPE | Blow molded |



NET AS
Blekebakkvegen 45
N-3950 Brevik


Telephone: +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com

VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E

# CERTIFICATE NO.: NET16CRP28-118/127-ALU
## CHILD-RESISTANT PACKAGING

HOLDER OF CERTIFICATE:
**Emballator Växjö AB, Sweden**

**MANUFACTURER:** Emballator Växjö AB, Smedjegatan 8, SE 35246 Växjö, Sweden
**CHILD RESISTANT CLOSURE:** 16CRP28-118/127-ALU
**ON VERIFIED CONTAINER:** 200 - 2500 ml



| | |
|---|---|
| **TEST STANDARD:** | An evaluation of the test results has been done in accordance with NET test method ATM003. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering. The child-resistant closure is designed for reclosable packages, as child resistant and suitable for adults according to ISO 8317:2015 and all the test results are within the given tolerance range. |
| **TEST LABORATORY:** | NET AS, Norway |
| **ANALYSIS:** | Containers with a valid appendix, combined with 16CRP28-118/127-ALU, are confirmed as child-resistant and suitable for adults. |
| **VALIDITY:** | This certificate is effective together with a valid appendix from NET for the actual container. The certificate is valid until expire date as long as no modifications are made to package, the material, the dimensions or the closure system. |

DATE OF CERTIFICATION: **30.05.2025** CERTIFICATE IS VALID UNTIL: **31.05.2030**

Rune Madsen Fink
Control Officer
BREVIK, NORWAY 30.05.2025
*NET Emballasje- og Produkttesting AS*
*Certification*


NET AS
Blekebakkvegen 45
N-3950 Brevik
Telephone: +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com
VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E

**THE FOLLOWING CLOSURES IS CERTIFIED ACCORDING TO ISO8317:**

| Name | Drawing | Material inner/outer cap | Gasket |
|---|---|---|---|
| 118/128 | 12428 | PPC / PPH | EPE / ALU |

**DOCUMENTS BASED UPON FOR APPROVAL:**

| Report id. | Date | Issued by | Scope |
|---|---|---|---|
| 06601530314-8317 | 26.08.2022 | IVM | Therese Rummelhoff |
| 16CRP28 | 28.05.2025 | NET | Therese Rummelhoff |



NET AS
Blekebakkvegen 45
N-3950 Brevik


Telephone: +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com

VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E

# CERTIFICATE NO.: NET16CRP28-118/127-PET
## CHILD-RESISTANT PACKAGING

HOLDER OF CERTIFICATE:
**Emballator Växjö AB, Sweden**

**MANUFACTURER:** Emballator Växjö AB, Smedjegatan 8, SE 35246 Växjö, Sweden
**CHILD RESISTANT CLOSURE:** 16CRP28-118/127-PET
**ON VERIFIED CONTAINER:** 200 - 1500 ml



| | |
|---|---|
| **TEST STANDARD:** | An evaluation of the test results has been done in accordance with NET test method ATM003. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering. The child-resistant closure is designed for reclosable packages, as child resistant and suitable for adults according to ISO 8317:2015 and all the test results are within the given tolerance range. |
| **TEST LABORATORY:** | NET AS, Norway |
| **ANALYSIS:** | Containers with a valid appendix, combined with 16CRP28-118/127-PET, are confirmed as child-resistant and suitable for adults. |
| **VALIDITY:** | This certificate is effective together with a valid appendix from NET for the actual container. The certificate is valid until expire date as long as no modifications are made to package, the material, the dimensions or the closure system. |

DATE OF CERTIFICATION: **30.05.2025** CERTIFICATE IS VALID UNTIL: **31.05.2030**

Rune Madsen Fink
Control Officer
BREVIK, NORWAY 30.05.2025
*NET Emballasje- og Produkttesting AS*
*Certification*


NET AS
Blekebakkvegen 45
N-3950 Brevik
Telephone: +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com
VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E

**THE FOLLOWING CLOSURES IS CERTIFIED ACCORDING TO ISO8317:**

| Name | Drawing | Material inner/outer cap | Gasket |
|---|---|---|---|
| 118/127 | 12428 | PPC / PPH | EPE / PET |

**DOCUMENTS BASED UPON FOR APPROVAL:**

| Report id. | Date | Issued by | Conformed by |
|---|---|---|---|
| 06601530314-8317 | 24.04.2014 | IVM | Type test |
| 16CRP28 | 28.05.2025 | NET | Type test |



NET AS
Blekebakkvegen 45
N-3950 Brevik


Telephone: +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com

VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E

# CERTIFICATE NO.: NET16CRP28-886/127-POM
## CHILD-RESISTANT PACKAGING

HOLDER OF CERTIFICATE:
**Emballator Växjö AB, Sweden**

**MANUFACTURER:** Emballator Växjö AB, Smedjegatan 8, SE 35246 Växjö, Sweden
**CHILD RESISTANT CLOSURE:** 16CRP28-886/127-POM
**ON VERIFIED CONTAINER:** 200 - 1500 ml



| | |
|---|---|
| **TEST STANDARD:** | An evaluation of the test results has been done in accordance with NET test method ATM003. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering. The child-resistant closure is designed for reclosable packages, as child resistant and suitable for adults according to ISO 8317:2015 and all the test results are within the given tolerance range. |
| **TEST LABORATORY:** | NET AS, Norway |
| **ANALYSIS:** | Containers with a valid appendix, combined with 16CR28-886/127-POM, are confirmed as child-resistant and suitable for adults. |
| **VALIDITY:** | This certificate is effective together with a valid appendix from NET for the actual container. The certificate is valid until expire date as long as no modifications are made to package, the material, the dimensions or the closure system. |

DATE OF CERTIFICATION: **23.05.2025** CERTIFICATE IS VALID UNTIL: **31.05.2030**

Rune Madsen Fink
Control Officer
BREVIK, NORWAY 23.05.2025
*NET Emballasje- og Produkttesting AS*
*Certification*


NET AS
Blekebakkvegen 45
N-3950 Brevik
Telephone: +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com
VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E

**THE FOLLOWING CLOSURES IS CERTIFIED ACCORDING TO ISO8317:**

| Name | Drawing | Material Inner / Outer cap | Gasket |
|---|---|---|---|
| P28-886/127-POM | 12492 | POM / PPH | Cone |

**DOCUMENTS BASED UPON FOR APPROVAL:**

| Report id. | Date | Issued by | Scope |
|---|---|---|---|
| 06601530314-8317 | 24.04.14 | IVM | Type testing |
| NET16CR28-886/127-POM | 23.05.25 | NET | Type testing |



NET AS
Blekebakkvegen 45
N-3950 Brevik


Telephone: +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com

VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E

# CERTIFICATE NO.: NET16CRP28-887/127-POM/PLUG
## CHILD-RESISTANT PACKAGING

HOLDER OF CERTIFICATE:
**Emballator Växjö AB, Sweden**

**MANUFACTURER:** Emballator Växjö AB, Smedjegatan 8, SE 35246 Växjö, Sweden
**CHILD RESISTANT CLOSURE:** 16CRP28-887/127-POM/Plug
**ON VERIFIED CONTAINER:** 200 - 1500 ml




| | |
|---|---|
| **TEST STANDARD:** | An evaluation of the test results has been done in accordance with NET test method ATM003. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering. The child-resistant closure is designed for reclosable packages, as child resistant and suitable for adults according to ISO 8317:2015 and all the test results are within the given tolerance range. |
| **TEST LABORATORY:** | NET AS, Norway |
| **ANALYSIS:** | Containers with a valid appendix, combined with 16CRP28-887/127-POM, are confirmed as child-resistant and suitable for adults. |
| **VALIDITY:** | This certificate is effective together with a valid appendix from NET for the actual container. The certificate is valid until expire date as long as no modifications are made to package, the material, the dimensions or the closure system. |

DATE OF CERTIFICATION: **16.06.2025** CERTIFICATE IS VALID UNTIL: **31.05.2030**

Rune Madsen Fink
Control Officer
BREVIK, NORWAY 16.06.2025
*NET Emballasje- og Produkttesting AS*
*Certification*


NET AS
Blekebakkvegen 45
N-3950 Brevik
Telephone: +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com
VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E

**THE FOLLOWING CLOSURES IS CERTIFIED ACCORDING TO ISO8317:**

| Name | Drawing | Material inner / outer cap | Insert |
|---|---|---|---|
| 887/127 | 12494 | POM / PPH | P22.3, LDPE |

**DOCUMENTS BASED UPON FOR APPROVAL:**

| Report id. | Date | Issued by | Conformed by |
|---|---|---|---|
| 06601530314-8317 | 24.04.2014 | IVM | Type test |
| 16CRP28 | 28.05.2025 | NET | Type test |



NET AS
Blekebakkvegen 45
N-3950 Brevik


Telephone: +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com

VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E

# CERTIFICATE NO.: NET16CRP28-887/127-POM
## CHILD-RESISTANT PACKAGING

HOLDER OF CERTIFICATE:
**Emballator Växjö AB, Sweden**

**MANUFACTURER:** Emballator Växjö AB, Smedjegatan 8, SE 35246 Växjö, Sweden
**CHILD RESISTANT CLOSURE:** 16CRP28-887/127-POM
**ON VERIFIED CONTAINER:** 200 - 1500 ml



| | |
|---|---|
| **TEST STANDARD:** | An evaluation of the test results has been done in accordance with NET test method ATM003. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering. The child-resistant closure is designed for reclosable packages, as child resistant and suitable for adults according to ISO 8317:2015 and all the test results are within the given tolerance range. |
| **TEST LABORATORY:** | NET AS, Norway |
| **ANALYSIS:** | Containers with a valid appendix, combined with 16CRP28-887/127-POM, are confirmed as child-resistant and suitable for adults. |
| **VALIDITY:** | This certificate is effective together with a valid appendix from NET for the actual container. The certificate is valid until expire date as long as no modifications are made to package, the material, the dimensions or the closure system. |

DATE OF CERTIFICATION: **16.06.2025** CERTIFICATE IS VALID UNTIL: **31.05.2030**

Rune Madsen Fink
Control Officer
BREVIK, NORWAY 16.06.2025
*NET Emballasje- og Produkttesting AS*
*Certification*


NET AS
Blekebakkvegen 45
N-3950 Brevik
Telephone: +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com
VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E

**THE FOLLOWING CLOSURES IS CERTIFIED ACCORDING TO ISO8317:**

| Name | Drawing | Material inner / outer cap | Insert |
|---|---|---|---|
| 887/127 | 12494 | POM / PPH | P22.3, LDPE |

**DOCUMENTS BASED UPON FOR APPROVAL:**

| Report id. | Date | Issued by | Conformed by |
|---|---|---|---|
| 06601530314-8317 | 24.04.2014 | IVM | Type test |
| 16CRP28 | 28.05.2025 | NET | Type test |



NET AS
Blekebakkvegen 45
N-3950 Brevik


Telephone: +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com

VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E

# CERTIFICATE NO.: NET16CRP28-887/127-PPH/PLUG
## CHILD-RESISTANT PACKAGING

HOLDER OF CERTIFICATE:
**Emballator Växjö AB, Sweden**

**MANUFACTURER:** Emballator Växjö AB, Smedjegatan 8, SE 35246 Växjö, Sweden
**CHILD RESISTANT CLOSURE:** 16CRP28-887/127-PPH/Plug
**ON VERIFIED CONTAINER:** 200 - 1500 ml




| | |
|---|---|
| **TEST STANDARD:** | An evaluation of the test results has been done in accordance with NET test method ATM003. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering. The child-resistant closure is designed for reclosable packages, as child resistant and suitable for adults according to ISO 8317:2015 and all the test results are within the given tolerance range. |
| **TEST LABORATORY:** | NET AS, Norway |
| **ANALYSIS:** | Containers with a valid appendix, combined with 16CRP28-887/127-PPH, are confirmed as child-resistant and suitable for adults. |
| **VALIDITY:** | This certificate is effective together with a valid appendix from NET for the actual container. The certificate is valid until expire date as long as no modifications are made to package, the material, the dimensions or the closure system. |

DATE OF CERTIFICATION: **16.06.2025** CERTIFICATE IS VALID UNTIL: **31.05.2030**

Rune Madsen Fink
Control Officer
BREVIK, NORWAY 16.06.2025
*NET Emballasje- og Produkttesting AS*
*Certification*


NET AS
Blekebakkvegen 45
N-3950 Brevik
Telephone: +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com
VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E

**THE FOLLOWING CLOSURES IS CERTIFIED ACCORDING TO ISO8317:**

| Name | Drawing | Material inner/ outer cap | Insert |
|---|---|---|---|
| 887/127 | 12432 | PPH / PPH | P22.3, LDPE |

**DOCUMENTS BASED UPON FOR APPROVAL:**

| Report id. | Date | Issued by | Scope |
|---|---|---|---|
| 06601530314-8317 | 24.04.2014 | IVM | Type test |
| 16CRP28 | 28.05.2025 | NET | Type test |



NET AS
Blekebakkvegen 45
N-3950 Brevik


Telephone: +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com

VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E

# CERTIFICATE NO.: NET16CRP28-886/127-PPH
## CHILD-RESISTANT PACKAGING

HOLDER OF CERTIFICATE:
**Emballator Växjö AB, SWEDEN**

**MANUFACTURER:** Emballator Växjö AB, Smedjegatan 8, 35246, Växjö, Sweden
**CHILD RESISTANT CLOSURE:** NET16CRP28-886/127-PPH
**ON VERIFIED CONTAINER:** 200 - 1500 ml



| | |
|---|---|
| **TEST STANDARD:** | An evaluation of the test results has been done in accordance with NET test method ATM003. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering. The child-resistant closure is designed for reclosable packages, as child resistant and suitable for adults according to ISO 8317:2015 and all the test results are within the given tolerance range. |
| **TEST LABORATORY:** | NET AS, Norway. |
| **ANALYSIS:** | Containers with a valid appendix combined with NET16CRP28-886/127-PPH is confirmed as child resistant and suitable for adults. |
| **VALIDITY:** | This certificate is effective together with a valid appendix from NET for the actual container. The certificate is valid until expire date as long as no modifications are made to package, the material, the dimensions or the closure system. |

DATE OF CERTIFICATION: **26.05.2025** CERTIFICATE IS VALID UNTIL: **31.05.2030**

Rune Madsen Fink
Control Officer
BREVIK, NORWAY 26.05.2025
*NET Emballasje- og Produkttesting AS*
*Certification*


NET AS
Blekebakkvegen 45
N-3950 Brevik
Telephone: +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com
VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E

**THE FOLLOWING CLOSURES IS CERTIFIED ACCORDING TO ISO8317:**

| Name | Drawing | Material inner / outer cap | Gasket |
|---|---|---|---|
| P28-886/127-PPH | 12430 | PPH / PPH | Cone |

**DOCUMENTS BASED UPON FOR APPROVAL:**

| Report id. | Date | Issued by | Scope |
|---|---|---|---|
| 06601530314-8317 | 24.04.2014 | IVM | Type test |
| 16CRP28 | 24.04.2024 | NET | Type test |
| 16CR28-886/127 | 23.05.2025 | NET | Type test |



NET AS
Blekebakkvegen 45
N-3950 Brevik

Telephone: +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com

VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E