




**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET6747A**



HOLDER OF CERTIFICATE:
Emballator Ulricehamns Bleck AB

MANUFACTURER: Emballator Ulricehamns Bleck AB, Maskinvägen 10, SE-52321
Ulricehamn, Sweden

MARKING ON PACKAGING:  **1A2/Y1.1 Z1.6/70/YR/N/NET6747A-ID**
"YR" to be replaced with the two last digits of the year.
"ID" to be replaced by any identification as decided by the manufacturer.

PRODUCT:

Packaging code	Description	Material
1A2, Steel drums, removable head	Serie 285 UN-Pail. Double seaming, one bead. Lug lid or ring-latch lid.	Steel sheet, details in report
1A2, Steel drums, removable head	Serie 285 UN-Pail. Double seaming, no bead. Lug lid or ring-latch lid.	Steel sheet, details in report




DIMENSIONS:

Capacity, l	Body / Bottom, mm	Diameter, mm	Height, mm	Drawings
10.0	0.36 / 0.36	300 / 273	210	EUB-10198
20.0	0.36 / 0.36	300 / 273	370	6648-02

CLOSING MECHANISM:

Type, thickness (mm)	Producer	Drawing	Material	Gasket
285 Lug lid (0.43)	Emballator Ulricehamn Bleck	EUB-10521	Steel sheet, details in report	6 mm PU compound
285 Lug lid (0.43) S2 S	Emballator Ulricehamn Bleck	EUB-10527	Steel sheet, details in report	6 mm PU compound
285 Lug lid (0.43) S2 M	Emballator Ulricehamn Bleck	EUB-10523	Steel sheet, details in report	6 mm PU compound
285 Lug lid (0.43) HZB S	Emballator Ulricehamn Bleck	EUB-10526	Steel sheet, details in report	6 mm PU compound
285 Lug lid (0.43) HZB M	Emballator Ulricehamn Bleck	EUB-10524	Steel sheet, details in report	6 mm PU compound
285 Lug lid (0.43) 50 mm Spout M	Emballator Ulricehamn Bleck	EUB-10530	Steel sheet, details in report	6 mm PU compound
285 Ring-latch lid (0.42)	Emballator Ulricehamn Bleck	66237-01	Steel sheet, details in report	5 mm PU compound
Ring latch (1.20)	KARTALSAN METAL	EMBALLATORUN285	GZR/CR	-



APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for transport of liquid substances that do not adversely affect the packaging materials. The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

Content	Max. relative density	Max. vapour pressure, kPa at +50°C	Packaging group
Liquid	1.1	47	II
Liquid	1.6	47	III

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET6747A	02.02.2021	NET	Type approval
NET67TE16	02.02.2021	NET	Technical evaluation, 10

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.

The packagings shall be manufactured, reconditioned and tested under a quality assurance programme which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in ISO 16106.



BREVIK, NORWAY

03.02.2021 CERTIFICATE IS VALID UNTIL:

28.02.2026

A handwritten signature in blue ink, reading 'Geir M. Johansen'.

Geir Morten Johansen
Certification Officer

A handwritten signature in blue ink, reading 'Rune Madsen Fink'.

Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification

A large, faint, light blue watermark logo is centered on the page. It consists of a vertical bar with a crossbar at the top, forming a stylized 'T' or 'H' shape, with two large, rounded rectangular shapes on either side, resembling a shield or a stylized letter 'E'.