



PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NETO 1 23A

HOLDER OF CERTIFICATE:

Emballator Mellerud Plast AB

MANUFACTURER: Emballator Mellerud Plast AB, Box 83, SE-464 22 Mellerud,

SWEDEN

MARKING ON PACKAGING: $\binom{u}{n}$ 3H1/Y1.9/100/YR/N/NET0123A - ID

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

The packaging shall also be appropriately marked with the month of the manufacture.

PRODUCT:

Packaging code	Description	Drawings	Material
3H1, Plastics jerricans	Non-removable head	HE0100-400 20101125	Sabic B5210
3H1, Plastics jerricans	Non-removable head	HE0100-410-300A	Sabic B5210
		20141001	



DIMENSIONS:

Packaging	Volume, I	Height, mm	Width, mm	Length, mm	Neck
weight, g					
59 - 62	1.0	193	75	95	2-40-01
59 - 62	1.0	199	75	95	2-40-08

Telephone +47 900 17025

E-mail: <u>info@net17025.com</u>

Web: <u>www.net17025.com</u>



CLOSING MECHANISM:

#: Screw cap	Producer	Drawings	Material	Gasket	Torque
1: 40 mm	Emballator	12475	Basell ACP	Cone	5 Nm
	Växjö Plast		6541A		
2: 40 mm child	Modulpac	40GPP	HDPE, details in	PET/ Alkozell/	5 Nm
resistant			report	PET	
3: 40 mm	Emballator	12474	Basell ACP	Cone	7 Nm
	Växjö Plast		6541A		
4: 40 mm child	Emballator	12436/11520A	Basell ACP	ALKOpore	4 - 10
resistant	Växjö Plast		6541A / Borealis		(4 - 5
			MB7541		recommended)









APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

NET0123A Page 2 of 4

Telephone +47 900 17025

E-mail: <u>info@net17025.com</u>

Web: <u>www.net17025.com</u>



REGULATIONS BASED UPON FOR APPROVAL:

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

UN, Recommendations on the Transport of Dangerous Goods.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials. The packaging has been permeability tested and approved according to ADR 6.1.5.7. Compatibility testing has been carried out according to ADR/RID with the content listed below:

Content	Max. relative density	Max. vapour pressure,	Closure #
		kPa at +50°C	
Water	1.9	114	1,2,3
Mixture of hydrocarbons	1.0	114	1,2,3
Acetic acid	1.1	114	1,2,3
UN3105, Organic	1.2	114	1,4
Peroxide			

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET0123A	24.05.2011	NET	Type approval
NET0123A-1	06.07.2011	NET	Type approval
NET01TE11	03.11.2014	NET	Technical Evaluation
NET0123A-2	01.12.2014	NET	Type approval
NET0123A4	08.09.2015	NET	Type approval
NET2825A	23.03.2021	NET	Additional test, 40BGPP

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.

The packagings shall be manufactured, reconditioned and tested under a quality assurance programme which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in ISO 16106.



NET0123A Page 3 of 4

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>





BREVIK, NORWAY

26.03.2021 CERTIFICATE IS VALID UNTIL:

31.08.2026

Geir Morten Johansen Certification Officer

aci M. Johan

Rune Madsen Fink Control Officer

Nordisk Emballasje Testing AS Certification

Telephone +47 900 17025 E-mail: <u>info@net17025.com</u> Web: <u>www.net17025.com</u>