




PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET3275C

HOLDER OF CERTIFICATE:
DS Smith Packaging Sweden AB

MANUFACTURER: DS Smith Packaging Sweden AB, Bangårdsgatan 2-4, SE-331 26 Värnamo, SWEDEN

MARKING ON PACKAGING:  **4GV/X30/S/YR/N/NET3275C - ID**

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

PRODUCT:

Packaging code	Description	Material	Manufacturer's joint
4GV, Fibreboard boxes	Model 0225-00, special packaging conforming to the requirements of 6.1.5.1.7	Corrugated fibreboard, Details in report	Glued




DIMENSIONS:

Volume, l	L*W*H, mm	Drawings	Explosive judgement
60	385 * 255 * 585	KD26927	Not Approved

CLOSING MECHANISM:

#: Closure type	Producer	Dimensions, mm	Material
1: Self locking / Folder type box	DS Smith Packaging Sweden AB	KD26927	Details in report
2: Tape, Double U-pattern, crossing the flip, 100 mm over the edge	Etab AB	0.5 * 50	Glass fibre, cross armed


INNER PACKAGING:

Type	Producer / Distributor	Thickness at least	Tear resistance at least, MD/TD	Seal strengt at least, N
Plastic bag filled with Vermiculite and an optional inner packaging according to ADR 6.1.5.1.7	Any	115	2.8 / 3.5	30.2



APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group I, II and III containing liquid substances that do not adversely affect the packaging materials. The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction, but not permitted for explosives.

Content	Max. gross weight, kg	Min. distance between inner packagings, mm	Min. distance between inner packaging and packaging wall, mm	Min. distance between inner packaging and top- or bottom wall, mm
Liquids in inner packaging packed in plastic bag filled with Vermiculite	30	37.5	37.5	37.5
Articles or inner packagings of any type for solids	30	37.5	37.5	37.5

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET3275A	24.08.2017	NET	Type approval
NET32TE44	17.09.2020	NET	Technical evaluation
NET3275C2	15.04.2021	NET	Additional type test

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.

The packagings shall be manufactured, reconditioned and tested under a quality assurance programme which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in ISO 16106.



BREVIK, NORWAY

28.04.2021 CERTIFICATE IS VALID UNTIL:**30.04.2026**

Geir Morten Johansen
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification