



PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NETO204BX

HOLDER OF CERTIFICATE:

Berry Packaging Norway AS, Kambo

MANUFACTURER: Berry Packaging Norway AS, Kambo, Boks 3054, N-1506 Moss,

Norway

MARKING ON PACKAGING: (a) 1H1/Y/250/YR/N/NET0204B - ID

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

The packaging shall also be appropriately marked with the month of the manufacture.

PRODUCT:

Packaging code / Volume	Description	Product # / Drawing	Material
1H1, 1L	Plastics drums,	9003/B-30389 and	PET, details in report
	non-removable head	9029/B-30512	



DIMENSIONS:

weight of can, g	Volume, I	Height, mm	Diameter, mm	Neck size, mm
35	1.0	252	82	28

Telephone +47 900 17025 E-mail: <u>info@net17025.com</u> Web: <u>www.net17025.com</u>



CLOSING MECHANISM:

	CEOSING FIECHANISH.					
#: Screw cap	Producer	Drawings	Material	Gasket	Torque	
28mm, child	ERACO	28-586	HDPE inner and	Cone	2 Nm	
resistant			PP outer			
28mm, child	Modulpac AB	28B POM/	POM, details in	Cone	2 Nm	
resistant		8280006	report			
28mm, child	Modulpac AB	28BPP/	HDPE, details in	PET / ALKOzell /	2 Nm	
resistant		8280013	report	PET		
28mm, child	Modulpac AB	28BIPETSPCO/	HDPE / LLDPE,	Cone	2 Nm	
resistant		8280038	details in report			
28mm, child	Modulpac AB	28B / 8280014	HDPE, details in	Cone	2 Nm	
resistant			report			
28mm, child	Emballator	S 28-886POM	POM inner and	Cone	2 Nm	
resistant	Växjöplast AB	00-127	PP outer			
28mm, child	Emballator	12492	POM inner and	Cone	2 Nm	
resistant	Växjöplast AB		PP outer			



APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

Telephone +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com



REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials. Permeability test has been carried out according to ADR 6.1.5.7. Compatibility testing has been carried out according to ADR/RID with the content listed below:

Content	Max. relative density	Max. vapour pressure, kPa at +50°C	Packaging group
Terpentine substitute, UN1300	1.0	200	II and III
Gasoline, UN1203	1.0	200	II and III
Diesel fuel, UN1202	1.0	200	III

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET0204By2	15.03.2016	NET	Additional test, new cap
NET16T03	29.12.2016	NET	Additional test, cap #7
NET0204Bx	31.12.2018	NET	Type approval
NET2819A	08.01.2021	NET	Additional test, 28B POM
NET2820A	08.01.2021	NET	Additional test, 28B
NET2826A	23.03.2021	NET	Additional test, 28BPP
NET2829A	23.03.2021	NET	Additional test,
			28BIPETSPCO

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495 and ISO13274.

The packagings shall be manufactured, reconditioned and tested under a quality assurance programme which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in ISO 16106.



NET0204BX Page 3 of 4

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>





BREVIK, NORWAY

11.05.2021 CERTIFICATE IS VALID UNTIL:

31.05.2026

Geir Morten Johansen Certification Officer

aci M. Johan

Rune Madsen Fink Control Officer

Nordisk Emballasje Testing AS Certification

Telephone +47 900 17025 E-mail: <u>info@net17025.com</u> Web: <u>www.net17025.com</u>