




PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET6712A

HOLDER OF CERTIFICATE:
Emballator Ulricehamns Bleck AB

MANUFACTURER: Emballator Ulricehamns Bleck AB, Maskinvägen 10, SE-52321
Ulricehamn, Sweden

MARKING ON PACKAGING:  **1A2/Y2.0 Z3.0/100/YR/N/NET6712A - ID**

"YR" to be replaced with the two last digits of the year.
"ID" to be replaced by any identification as decided by the manufacturer.

PRODUCT:

Packaging code	Description	Material
1A2, steel drums, removable head	UN-pail 180 without bead	Steel sheet TS 275 (T57)



DIMENSIONS:

Volume, l	Height, mm	Diameter, mm	Head / Body / Bottom, mm	Drawing
5.0	243	180	0.25 / 0.25 / 0.30	6437-04, 131210
4.0	201	180	0.25 / 0.25 / 0.30	6435-05, 140623
3.0	161	180	0.25 / 0.25 / 0.30	6438-02, 140324
2.5	148	180	0.25 / 0.25 / 0.30	6433-06, 130829

CLOSING MECHANISM:

Closure type	Drawings	Material	Gasket
Press lid	64214-01, 160512	Steel sheet TS275 (T57)	Polyuretan
Ring-latch lid	64214-01, 160512	Plastic, polypropylen	-


APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials in accordance with table below. The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instructions.

Content	Max. relative density	Max. vapour pressure at +50°C	Packaging group
Liquid	2.0	114 kPa	II
Liquid	3.0	114 kPa	III

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET6712A	21.04.2010	NET	Type approval
NET6712A-1	19.10.2011	NET	Selective testing, increased density

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.

The packagings shall be manufactured, reconditioned and tested under a quality assurance programme which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in ISO 16106.



BREVIK, NORWAY

19.05.2021 CERTIFICATE IS VALID UNTIL:**31.05.2026**

Geir Morten Johansen
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification