



PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET8511A

HOLDER OF CERTIFICATE:

Destructor Recycling AB

1140 kg max

RESPONSIBLE DISTRIBUTOR:

Destructor Recycling AB, Verkstadgatan 4, 447 35

Vårgårda, SWEDEN



MARKING ON PACKAGING:

(h) 50H/Y/MMYY/N/NET8511A-ID/2053/427

"MMYY" to be replaced with the month and year (last two digits) of manufacture.

"ID" to be replaced by the name or symbol of the manufacturer.

The packaging shall also be appropriately marked in accordance with ADR 6.6.3.3.1.



PRODUCT:

Packaging code	Description	Drawings	Material
50H, Plastics	Large packaging	Stacking drawing.stp	PP



DIMENSIONS:

Packaging #: Volume, I	Length, mm	Width, mm	Height, mm
1: 810	1215	1150	580
2: 565	1215	1150	455

CLOSING MECHANISM:

Closure type	Producer	Drawings / Description	Material
Strapping band	Any	12 mm	PP
Lid	Details in report	HDPPCB1210-lid	HDPE

Telephone +47 900 17025

E-mail: <u>info@net17025.com</u>

Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E



OTHER PARTS:

Туре	Description	Drawing	Material
Sleeve 2 layer	Details in report	TBD Sleeve 2 layers	PP
Sleeve 3 layer	Details in report	TBD Sleeve 3 layers	PP
Pallet	Details in report	HDPPCB1210-pallet	HDPE
Tray	Details in report	ЕМВ	PP
		4038-2018-0029-1_rev7	
		_190205.stp	

APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

JT/T617, The Regulations concerning Road Transportation of Dangerous Goods.

APPROVAL IS VALID FOR:

Max. gross weight of this large packaging is 427 kg.

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

Packaging #: Content	Packaging group
1: Lithium ion batteries contained in equipment,	II and III
UN3480, maximum 27 modules packed in	
accordance with Destructors packaging instructions	
2: Lithium ion batteries contained in equipment,	II and III
UN3480, maximum 24 modules packed in	
accordance with Destructors packaging instructions	

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET8511A	04.07.19	NET	Type approval

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.

The packagings shall be manufactured, reconditioned and tested under a quality assurance programme which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in ISO 16106.



NET8511A Page 2 of 3

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E





PORSGRUNN, NORWAY

Caci M. Johan

29.08.2019 CERTIFICATE IS VALID UNTIL:

31.08.2024

Geir Morten Johansen Certification Officer Rune Madsen Fink Control Officer

Nordisk Emballasje Testing AS Certification

Telephone +47 900 17025 E-mail: <u>info@net17025.com</u> Web: <u>www.net17025.com</u> VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E