



# PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET0367A

HOLDER OF CERTIFICATE:  
**Greif Sweden AB**

**MANUFACTURER:**

Greif Sweden AB, Kvekatorpsvägen 25, Box 203, , SE-311 23  
Falkenberg, Sweden

**MARKING ON PACKAGING:**

 **3H1/Y1.6/150/YR/N/NET0367A-ID**

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

The packaging shall also be appropriately marked with the month of the manufacture.

**PRODUCT:**

Packaging code	Description	Drawings	Material
3H1 Plastics jerricans	non-removable head	Z1312 3.39108.0 - 25 l	HDPE, details in report
3H1 Plastics jerricans	non-removable head	Z1312 3.39109.0 - 20 l	HDPE, details in report
3H1 Plastics jerricans	non-removable head	Z1312 3.39107.0 - 15 l	HDPE, details in report



**DIMENSIONS:**

Weight of jerrican, g	Volume, l	Length, mm	Width, mm	Height, mm	Neck size, mm
887.5 - 941.5	25.0	293	240	479	61
787.8 - 835.7	20.0	293	240	401	61
686.0 - 729.9	15.0	293	240	323	61

### CLOSING MECHANISM:

Screw cap	Producer	Drawings	Material	Gasket	Torque
60 mm	Tri-Sure	TSF 504224 2	HDPE	Washer, PEfoam	25 Nm
60 mm	Tri-Sure	TSF 505112	HDPE	Washer, PEfoam	25 Nm
60 mm, carbon black free	Tri-Sure	TSF 506492	HDPE	Washer, PEfoam	25 Nm



### APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

### REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

### APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials. Permeability test has been carried out according to ADR 6.1.5.7. Compatibility testing has been carried out according to ADR/RID with the content listed below:

Content	Max. relative density	Max. vapour pressure, kPa at +50°C
Acetic acid	1.2	142 kPa
Mixture of hydrocarbons	1.0	142 kPa
n-Butylacetate	1.0	142 kPa
Water	1.6	142 kPa

## DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET0367A	11.02.20	NET	Type approval
NET03TE40	12.02.20	NET	Technical evaluation, 20 & 15 l
NET03TE42	01.06.21	NET	Technical evaluation

## TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495 and ISO13274.

The packagings shall be manufactured, reconditioned and tested under a quality assurance programme which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in ISO 16106.



PORSGRUNN, NORWAY

01.06.2021 CERTIFICATE IS VALID UNTIL:

28.02.2025



Geir Morten Johansen  
Certification Officer



Rune Madsen Fink  
Control Officer

Nordisk Emballasje Testing AS Certification