



PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET1910A

HOLDER OF CERTIFICATE: Accon FDP ApS

MANUFACTURER:

Accon FDP ApS, Baldersbuen 8, DK-2640 Hedehusene, Denmark

MARKING ON PACKAGING: (^u_n) **1G/Y150/S/YR/N/NET1910A - ID** "YR" to be replaced with the two last digits of the year.

"ID" to be replaced with any identification as decided by the manufacturer.

PRODUCT:

| Packaging code | Description | Drawing | Material |
|---------------------|------------------------|------------------------|------------------------|
| 1G, Fibreboard drum | with lid and bottom of | Type 2B-6. Top edge | Kraftliner, details in |
| | MDF. | reinforced with | report |
| | | galvanized steel band. | |
| 1G, Fibreboard drum | with lid and bottom of | Type 2B-7. Top and | Kraftliner, details in |
| | MDF. | bottom edge reinforced | report |
| | | with galvanized steel | |
| | | band. | |



DIMENSIONS:

| #: Weight of | Volume, l | Height outside, | Diameter inside, | Head / Body / | Drawing |
|----------------|-----------|-----------------|------------------|---------------|-----------|
| drum, g | | mm | mm | Bottom, mm | |
| 1: 5600 - 6300 | 110 - 150 | 730 - 1000 | 450 | 12 / 2.8 / 10 | Type 2B-7 |
| 2: 5500 - 6000 | 120 - 150 | 820 - 1000 | 450 | 12 / 2.8 / 10 | Type 2B-6 |



CLOSING MECHANISM:

| Closure type | Producer | Drawing | Material |
|-------------------------|-------------------|---------------------|-----------------------|
| Lid with lifting ring | Greif Denmark ApS | Type 2B | MDF, 12 mm |
| Locking ring, lever arm | Greif Denmark ApS | Clamp, C620 REV.0 - | Galvanized steel: 1.2 |
| and cotter pin | | 450 mm | mm / 0.6 mm |



INNER PACKAGING:

| PE plastic bag | Producer | Thickness at least, | Tear resistance at | Seal strengt at |
|-----------------------|----------|---------------------|--------------------|-----------------|
| | | mm | least, MD/TD, N | least, N |
| Big enough to fold | Any | 0.04 | 76/557 | 14.0 |
| over the edge when | | | | |
| filled, closed with a | | | | |
| strip. | | | | |



APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.



REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for transport containing substances that do not adversely affect the packaging materials. The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

| Content | Max. gross weight, kg | Packaging group |
|-------------------------|-----------------------|-----------------|
| Solids in a plastic bag | 150 | II and III |

DOCUMENTS BASED UPON FOR APPROVAL:

| Report id. | Date | Issued by | Scope |
|------------|------------|-----------|-------------------------|
| NET1910A | 07.07.2020 | NET | Additional type testing |
| NET1903A | 18.03.2015 | NET | Type approval |

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



31.08.2025

PORSGRUNN, NORWAY

01.09.2021 CERTIFICATE IS VALID UNTIL:

laci A. Cha

Geir Morten Johansen Certification Officer

Nordisk Emballasje Testing AS Certification

Rune Madsen Fink Control Officer