



**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET8102A**


HOLDER OF CERTIFICATE:

MoveTech AB

565 or 720 kg max

RESPONSIBLE DISTRIBUTOR: MoveTech AB, Hagalundsvägen 43, 70230 Örebro, Sweden



MARKING ON PACKAGING:  **11H2/Y/MMYY/N/NET8102A - ID/KG1/KG2**

- "MMYY" to be replaced with the month and year (last two digits) of manufacture, the period of use permitted for the carriage of dangerous substances in accordance to this certificate shall be five years from the date of manufacture, ADR 4.1.1.15.
- "ID" to be replaced by the name or symbol of the manufacturer.
- "KG1" to be replaced by Stacking load from table on page 2.
- "KG2" to be replaced by Max. gross weight from table on page 2.
- The packaging shall also be appropriately marked in accordance with ADR 6.5.2.2.

PRODUCT:

#: Packaging code	Description	Drawing	Material
1: 11H2	Rigid plastics IBCs, freestanding, for solids 510 L	BBG 1208 K	HDPE , details in report
2: 11H2	Rigid plastics IBCs, freestanding, for solids 645 L	BBG 1210 K	HDPE , details in report



DIMENSIONS:


#: Packaging weight, kg	Volume, l	Length, mm	Width, mm	Height, mm
1: 45.0	510	1200	800	835
2: 49.5	645	1200	1000	830

CLOSING MECHANISM:

Closure type	Description:	Drawings	Material
Plastic lid	Injection moulded	DE 1208 BB / -1210 BB	HDPE , details in report
Lock	Lever locking in front	SSP-Safe Professional Perfect	Galvanized steel
Hinges	Two hinges on the back	SSP-Safe Professional Perfect	Galvanized steel
Skids	Outer skids and centre skid	BBG 1208 K / -1210 K	HDPE , details in report

INNERPACKAGING:

Type	Thickness, mm	Material	Dimensions
Plastic bag from Totalplast B.V.	0.180 mm	LDPE	Big enough to fold over the edge when filled and to be closed with content.


APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instructions. The content shall not adversely affect the packaging materials.

Content	Stacking load tested/ allowed during transport, kg	Max. gross weight, kg	Packaging group	Packaging #
Solids as powder / granules, not articles	1017 / 565	565	II and III	1
Solids as powder / granules, not articles	1296 / 720	720	II and III	2

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET8102A1	2021	NET	Type approval
NET8102A2	2021	NET	Type approval

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.

The packagings shall be manufactured, reconditioned and tested under a quality assurance programme which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in ISO 16106.



BREVIK, NORWAY

21.09.2021 CERTIFICATE IS VALID UNTIL:

30.09.2026


 Geir Morten Johansen
 Certification Officer



 Rune Madsen Fink
 Control Officer

Nordisk Emballasje Testing AS Certification