

PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET8506A

HOLDER OF CERTIFICATE:
DESAPAC AB

RESPONSIBLE DISTRIBUTOR: DESAPAC AB, Degrabo, Talldungen, 44791 Vårgårda, SWEDEN


600 kg max



MARKING ON PACKAGING:

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 12 mm high.

 **50G/Y/300/N/NET8506A-ID/1080/300**

	: The United Nations symbol
50G	: Fibreboard large packaging
Y	: Packaging group II and III
MMYY	: To be replaced with the month and year (last two digits) of manufacture
N	: Norway, the state authorizing the allocation of the mark
NET8506A - ID	: Identification of the LP followed by "ID" to be replaced by the name or symbol of the manufacturer
1080	: The stacking test load in kg
300	: The maximum permissible gross mass in kg

PRODUCT:

Description
Large packaging of double wall board of corrugated fibreboard, with lid of same material, and pallet of natural wood



DIMENSIONS:

Volume, l	Length, mm	Width, mm	Height, mm	Drawing
496	1140	790	748	51637901

CLOSING MECHANISM:

Closure type	Producer	Drawings	Material
Strips	Any	Strapping Band 12mm	PP
Lid	VPK Packaging AB	51638801	Fibreboard

OTHER PARTS:

Type	Description	Drawing	Material
Outer frame	IMS Emballasje AB	611*48*19	Wood
Pallet	IMS Emballasje AB	1140*790*135	Wood
Cushioning material	VPK Packaging AB	836488	Fibreboard
Cushioing material	VPK Packaging AB	51196801	Fibreboard

LEGISLATION:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

TESTS CARRIED OUT:

Prototype tests performed and approved according to the above regulations:

6.6.5.3.1 Bottom lift test

6.6.5.3.3 Stacking test

6.6.5.3.4 Drop test

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

Content
UN3268 - Safty devices, packed in accordance with DESAPAC instructions
UN3480 - Lithium Ion Batteries,packed in accordance with DESAPAC instructions
UN3481 - Lithium Ion Batteries contained in equipment, packed in accordance with DESAPAC instructions
UN3090 - Lithium Metal Batteries, packed in accordance with DESAPAC instructions
UN3091 - Lithium Metal Batteries contained in equipment, packed in accordance with DESAPAC instructions

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET8506A	23.02.2018	NET	Type approval
NET85TE03	09.05.2018	NeT	Technical evaluation, new inner packagings

VALIDITY:

The continued validity of the type approval requires that the holder of the certificate and/ or the manufacturer inform NET certification that has approved its type of packaging of any changes to the characteristics of the type or anything that can influence on the transport safety on the specific design so that it can be verified that the type of packaging continues to comply with packaging tested as base for the original type approval.

The validity of the type approval assume regular verification by means of periodic audits by NET in accordance with NET Doc 2: "Production control agreement". The packaging shall be manufactured, reconditioned and tested under a quality assurance program which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in ISO 16106.

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



BREVIK, NORWAY

03.01.2022 CERTIFICATE IS VALID UNTIL:

21.05.2023



Mathias Werner
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing Certification