

PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET12503A

HOLDER OF CERTIFICATE: **DGM Sverige AB**

MANUFACTURER: DGM Sverige AB, Backa Bergögata 11, 422 46 Hisings Backa,

Sweden

MARKING ON PACKAGING:

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 12 mm high.

(a) 4G/XKG YKG ZKG/S/YR/N/NET12503A - ID

 $\binom{\mathsf{u}}{\mathsf{n}}$: The United Nations symbol

4G : Fibreboard boxes

XKG YKG ZKG : Packaging group I, II and III, max gross mass in kg according to content table

S : Intended for carriage of inner packagings, see content table
YR : To be replaced with the year (last two digits) of manufacture
N : Norway, the state authorizing the allocation of the mark

NET12503A - ID : Identification of the packaging followed by "ID" to be replaced by the name of the manufacturer

PRODUCT:

Description	Manufacturer's joint	Material
FEFCO 0201	Glued joint, box: 1, 2, 3, 4, 4lb,	Corrugated fibreboard, double
	5/ Stitched joint, box: 6	wall board, details in report



DIMENSIONS:

#: Volume, I	L*W*H, mm	Drawing	Explosive approved	Pressure tested
1: 7	166*146*322	S847431	Yes	Yes
2: 21	276*206*372	S847432	No	Yes
3: 25	326*246*312	S847433	No	Yes
4: 36	366*266*372	S847436	No	Yes
4LB: 52	536*336*292	S847435	Yes	Yes
5: 51	436*316*372	S847434	No	Yes
6: 65	386*386*442	S847430	No	Yes

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>



CLOSING MECHANISM:

Closure type	Producer	Dimensions, mm	Material	Packaging #
"O" - pattern, 75	Boxon pack AB	0.5 * 75	LDPE reinforced	1, 2, 3, 4, 4LB, 5, 6
mm overlap			with glass-fibre	
			crossarmed	
2 * Strapping	Any	12	PP	6



INNER PACKAGING:

IIIII I MOIOTOINOI			
#: Type	Producer	Drawing	Material
1: 1 l blow moulded	Emballator Mellerud Plast	NET0103B	HDPE
bottel	AB		
Screw cap, 28mm	Modulpac AB	28K	HDPE
2: 5 I blow moulded	Emballator Mellerud Plast	NET0109A	HDPE
jerrican	AB		
Screw cap, 40mm	Emballator Växjöplast AB	40-254	HDPE
3: 1 l blow moulded	Emballator Mellerud Plast	NET0103B	HDPE
bottel	AB		
Screw cap, 28mm	Modulpac AB	28K	HDPE
4:10 I blow moulded	Emballator Mellerud Plast	NET0129A	HDPE
jerrican	AB		
Screw cap, 61mm	Emballator Växjöplast AB	61-343	HDPE
5: 10 I blow moulded	Emballator Mellerud Plast	NET0129A	HDPE
jerrican	AB		
Screw cap, 61mm	Emballator Växjöplast AB	61-343	HDPE
6: 10 I blow moulded	Emballator Mellerud Plast	NET0129A	HDPE
jerrican	AB		
Screw cap, 61mm	Emballator Växjöplast AB	61-343	HDPE
1: Fibreboard box	Specialwell J & J AB	K29544	Corrugated fiberboard S
L*W*H, 92*92*234			6 C
2: Fibreboard box	Specialwell J & J AB	K29545	Corrugated fiberboard S
L*W*H, 192*102*284			6 C
3: Fibreboard box	Specialwell J & J AB	K29546	Corrugated fiberboard S
L*W*H, 232*152*204			6 C
4: Fibreboard box	Specialwell J & J AB	K29547	Corrugated fiberboard S
L*W*H, 272*172*284			6 C

 NET12503A
 Page 2 of 6

 Telephone
 +47 900 17025

 E-mail:
 info@net17025.com

 Web:
 www.net17025.com



4LB: Fibreboard box	Specialwell J & J AB	K29548	Corrugated fiberboard S
L*W*H, 452*262*224			6 C
5: Fibreboard box	Specialwell J & J AB	K29549	Corrugated fiberboard S
L*W*H, 342*222*284			6 C
6: Fibreboard box	Specialwell J & J AB	K29550	Corrugated fiberboard S
L*W*H, 302*302*334			6 C

LEGISLATION:

NET issues the certification on described product according to delegated authority from Norwegian NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

TESTS CARRIED OUT:

Prototype tests performed and approved according to the above regulations:

6.1.5.2.3 Preparation of packaging, relativ humidity

6.1.5.3 Drop test

6.1.5.6 Stacking test

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

#: Content	Max gross mass in	Max gross mass in	Max gross mass in
	packaging group I, kg	packaging group II, kg	packaging group III, kg
1: Liquid in	5	7	11
innerpackaging			
2: Liquid in	20	30	40
innerpackaging			
3: Liquid in	25	30	40
innerpackaging			
4: Liquid in	25	35	40
innerpackaging			
4LB: UN3481 lithium ion	35	45	50
batteries			
5: Liquid in	35	45	50
innerpackaging			
6: Liquid in	45	65	75
innerpackaging			
1: UN1950, Aerosols	-	7	-

Telephone +47 900 17025 E-mail: <u>info@net17025.com</u> Web: <u>www.net17025.com</u>





2 11111050 4		Tao.	
2: UN1950, Aerosols	-	30	-
3: UN1950, Aerosols	-	30	-
4: UN1950, Aerosols	-	35	-
5: UN1950, Aerosols	-	45	-
6: UN1950, Aerosols	-	55	-
1: UN2794-, UN2795-,	-	7	-
UN2800 Batteries, wet,			
non-spillable			
2: UN2794-, UN2795-,	-	30	-
UN2800 Batteries, wet,			
non-spillable			
3: UN2794-, UN2795-,	-	30	-
UN2800 Batteries, wet,			
non-spillable			
4: UN2794-, UN2795-,	-	35	-
UN2800 Batteries, wet,			
non-spillable			
5: UN2794-, UN2795-,	-	45	-
UN2800 Batteries, wet,			
non-spillable			
6: UN2794-, UN2795-,	-	60	-
UN2800 Batteries, wet,			
non-spillable			
1: UN3356, Oxygen	-	7	-
generator, chemical			
2: UN3356, Oxygen	-	30	-
generator, chemical			
3: UN3356, Oxygen	-	30	-
generator, chemical			
4: UN3356, Oxygen	-	35	-
generator, chemical			
5: UN3356, Oxygen	-	45	-
generator, chemical			
6: UN3356, Oxygen	-	60	-
generator, chemical			
1: UN3480, Lithium ion	-	7	-
batteries			
2: UN3480, Lithium ion	-	30	-
batteries			
3: UN3480, Lithium ion	-	30	-
batteries			
4: UN3480, Lithium ion	-	35	-
batteries			
5: UN3480, Lithium ion	_	45	-
batteries			
54661165	1		

 NET12503A
 Page 4 of 6

 Telephone
 +47 900 17025

 E-mail:
 info@net17025.com

 Web:
 www.net17025.com



6: UN3480, Lithium ion	-	60	-
batteries			
1: UN3090, Lithium	-	7	-
metal batteries			
2: UN3090, Lithium	-	30	-
metal batteries			
3: UN3090, Lithium	-	30	-
metal batteries			
4: UN3090, Lithium	-	35	-
metal batteries			
5: UN3090, Lithium	-	45	-
metal batteries			
6: UN3090, Lithium	-	60	-
metal batteries			

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET12503#4LB	26.03.21	NET	Type approval
NET12503A#6	25.03.21	NET	Type approval
NET12503A#5	25.03.21	NET	Type approval
NET12503A#4	25.03.21	NET	Type approval
NET12503A#3	25.03.21	NET	Type approval
NET12503A#2	18.03.21	NET	Type approval
NET12503A#1	18.03.21	NET	Type approval
NET125TE01	06.01.21	NET	Technical evaluation

VALIDITY:

The continued validity of the type approval requires that the holder of the certificate and/ or the manufacturer inform NET certification that has approved its type of packaging of any changes to the characteristics of the type or anything that can influence on the transport safety on the specific design so that it can be verified that the type of packaging continues to comply with packaging tested as base for the original type approval.

The validity of the type approval assume regular verification by means of periodic audits by NET in accordance with NET Doc 2: "Production control agreement". The packaging shall be manufactured, reconditioned and tested under a quality assurance program which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in ISO 16106.

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



NET12503A Page 5 of 6

Telephone +47 900 17025

E-mail: <u>info@net17025.com</u>

Web: <u>www.net17025.com</u>





BREVIK, NORWAY

07.01.2022 CERTIFICATE IS VALID UNTIL:

31.01.2027

Mathias Werner Certification Officer Rune Madsen Fink Control Officer

Nordisk Emballasje Testing Certification

Pathiis Wemer

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>