

# PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET14803A

# HOLDER OF CERTIFICATE: Svensk Emballageteknik AB

#### MANUFACTURER:

Svensk Emballageteknik AB, Åkervägen 15, 177 41 Järfälla, SWEDEN

#### MARKING ON PACKAGING:

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 12 mm high.

#### (<sup>u</sup><sub>n</sub>) 4GV/XKG/S/YR/N/14803A - ID

(u)	: The United Nations symbol
4GV	: Fibreboard boxes, special packaging
XKG	: Packaging group I, II and III, max gross mass in kg, see content table
S	: Intended for carriage of inner packagings, see content table
YR	: To be replaced with the year (last two digits) of manufacture
Ν	: Norway, the state authorizing the allocation of the mark
NET14803A - ID	: Identification of the packaging followed by "ID" to be replaced by the name of the manufacturer

#### **PRODUCT:**

Description	Manufacturer's joint	Material	
FEFCO 0201	Stitched	Corrugated fibreboard, double	
		wall board, details in report	



#### **DIMENSIONS:**

BINENGIONGI				
#: Volume, I	L*W*H, mm	Drawing	Explosive approved	Pressure tested
1: 64.0	$400 \times 400 \times 400$	14-1839A	No	No
2: 52.8	400 × 400 × 330	14-7187A	No	No
3: 46.0	355 × 355 × 365	14-1838A	No	No
4: 22.6	270 × 270 × 310	14-7189A	No	No
5: 23.9	355 × 190 × 355	14-1837A	No	No
6: 12.4	200 × 200 × 310	14-1934A	No	No
7: 14.4	250 × 160 × 360	14-1836A	No	No
8: 9.0	170 × 170 × 310	14-7193A	No	No

#### NET14803A Page 1 of 5


Telephone +47 900 17025 E-mail: <u>info@net17025.com</u> Web: <u>www.net17025.com</u>



9: 8.0	200 × 200 × 200	14-7194A	No	No
10: 11.9	190 × 190 × 330	14-1835A	No	No
11: 6.8	$210 \times 180 \times 180$	14-1834A	No	No
12: 6.1	150 × 150 × 270	14-7195A	No	No
13: 4.9	170 × 170 × 170	14-7196A	No	No

#### **CLOSING MECHANISM:**

#: Closure type	Producer	Dimensions, mm	Material	Packaging #
"U" - pattern, 100	ETAB	0.5 * 50	ETAB 243B	1-13
mm over the edges				



#### **LEGISLATION:**

NET issues the certification on described product according to delegated authority from Norwegian NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

## **REGULATIONS BASED UPON FOR APPROVAL:**

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

## **TESTS CARRIED OUT:**

Prototype tests performed and approved according to the above regulations:

6.1.5.2.3 Preparation of packaging, relativ humidity

- 6.1.5.3 Drop test
- 6.1.5.6 Stacking test



# **APPROVAL IS VALID FOR:**

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

packaging instruction				
#: Content	Max gross mass in	Min. distance	Min. distance	Min. distance
	packaging group I,	between inner	between inner	between inner
	kg	packings, mm	packing and	packing and top- or
			packaging wall, mm	bottom wall, mm
1: Articles or inner	21	25	25	85
packagings of any				
type for solids or				
liquids packed in				
plastic bags filled				
with vermiculite				
2: Articles or inner	17	25	25	85
packagings of any				
type for solids or				
liquids packed in				
plastic bags filled				
with vermiculite				
3: Articles or inner	15	25	25	35
packagings of any				
type for solids or				
liquids packed in				
plastic bags filled				
with vermiculite				
4: Articles or inner	11	30	20	35
packagings of any				
type for solids or				
liquids packed in				/
plastic bags filled				
with vermiculite				
5: Articles or inner	7.9	30	20	35
packagings of any				
type for solids or				
liquids packed in				
plastic bags filled				
with vermiculite				
6: Articles or inner	6	30	20	35
packagings of any				
type for solids or				
liquids packed in				
plastic bags filled				
with vermiculite				
	1			



7: Articles or inner	4.7	30	20	35
packagings of any			20	55
type for solids or				
liquids packed in				
plastic bags filled				
with vermiculite				
8: Articles or inner	4.4	30	20	35
packagings of any	7.7	50	20	55
type for solids or				
liquids packed in				
plastic bags filled				
with vermiculite	2.0	20	20	25
9: Articles or inner	3.9	30	20	35
packagings of any				
type for solids or				
liquids packed in				
plastic bags filled				
with vermiculite				
10: Articles or inner	3.9	30	20	35
packagings of any				
type for solids or				
liquids packed in				
plastic bags filled				
with vermiculite				
11: Articles or inner	3.3	30	20	35
packagings of any				
type for solids or				
liquids packed in				
plastic bags filled				
with vermiculite				
12: Articles or inner	3	30	20	35
packagings of any				
type for solids or				
liquids packed in				
plastic bags filled				
with vermiculite				
13: Articles or inner	2.4	30	20	35
packagings of any				
type for solids or				
liquids packed in				
plastic bags filled				
with vermiculite				
		1		

#### **DOCUMENTS BASED UPON FOR APPROVAL:**

Report id.	Date	Issued by	Scope
NET14803AZ	07.03.2022	NET	Type approval



#### VALIDITY:

The continued validity of the type approval requires that the holder of the certificate and/ or the manufacturer inform NET certification that has approved its type of packaging of any changes to the characteristics of the type or anything that can influence on the transport safety on the specific design so that it can be verified that the type of packaging continues to comply with packaging tested as base for the original type approval.

The validity of the type approval assume regular verification by means of periodic audits by NET in accordance with NET Doc 2: "Production control agreement". The packaging shall be manufactured, reconditioned and tested under a quality assurance program which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in ISO 16106.

#### **TEST STANDARD:**

BREVIK, NORWAY

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



31.03.2027

Amis Weme-

Mathias Werner Certification Officer

Nordisk Emballasje Testing Certification

Rune Madsen Fink Control Officer

07.03.2022 CERTIFICATE IS VALID UNTIL: