

PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET3203C

HOLDER OF CERTIFICATE:

DS Smith Packaging Sweden AB

MANUFACTURER: DS Smith Packaging Sweden AB, Bangårdsgatan 2-4, SE-331 26

Värnamo, SWEDEN

MARKING ON PACKAGING:

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 6 mm high.

(h) 4G/Y12/S/YR/N/NET3203C - ID

 $\left(egin{array}{ll} u \\ n \end{array}
ight)$: The United Nations symbol

4G : Fibreboard boxes


Y12 : Packaging group II and III, max gross mass in kg
S : Intended for carriage of solids in plastics bag

YR : To be replaced with the year (last two digits) of manufacture N : Norway, the state authorizing the allocation of the mark

NET3203C - ID : Identification of the packaging followed by "ID" to be replaced by the name of the manufacturer

PRODUCT:

| Description | Manufacturer´s joint | Material |
|-------------------------------|----------------------|------------------------------------|
| FEFCO 0427, folder-type boxes | This style have none | Corrugated fibreboard, singel wall |
| | | board, details in report |



DIMENSIONS:

| Volume, I | L*W*H, mm | Drawing | Explosive approved |
|-----------|------------|---------|--------------------|
| 34.1 | 730*570*82 | KD15040 | Yes |

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E



CLOSING MECHANISM:

| Closure type | Producer | Dimensions | Material |
|---------------------|-------------|----------------------|-------------------|
| Self-locking | DS Smith AB | According to drawing | Details in report |
| Tape; dobble "L"- | Tesa | 0.07 * 50 | PVC |
| pattern, 50 mm from | | | |
| edge | | | |



INNER PACKAGING:

| Plastics bag | Producer | Thickness at least | Tear resistance at | Seal strength at |
|---------------------|----------|--------------------|--------------------|------------------|
| | | | least, MD/TD | least |
| The size adjust the | Any | 47 μm | 2.5 / 8.7 N | 11 MPa |
| current | | | | |
| packagingoxes | | | | |



LEGISLATION:

NET issues the certification on described product according to delegated authority from Norwegian NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

NET3203C Page 2 of 3

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E



TESTS CARRIED OUT:

Prototype tests performed and approved according to the above regulations:

6.1.5.2.3 Preparation of packaging, relativ humidity

6.1.5.3 Drop test

6.1.5.6 Stacking test

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instruction. The content may not adversely affect the packaging material.

| _ | | | |
|--------|-----|-----|----|
| Co | nt | Δn | ١t |
| \sim | 116 | C 1 | ľ |

Solids in plastics bag

DOCUMENTS BASED UPON FOR APPROVAL:

| Report id. | Date | Issued by | Scope |
|------------|------------|-----------|---------------|
| NET3203C | 01.03.2019 | NET | Type approval |

VALIDITY:

The continued validity of the type approval requires that the holder of the certificate and/ or the manufacturer inform NET certification that has approved its type of packaging of any changes to the characteristics of the type or anything that can influence on the transport safety on the specific design so that it can be verified that the type of packaging continues to comply with packaging tested as base for the original type approval.

The validity of the type approval assume regular verification by means of periodic audits by NET in accordance with NET Doc 2: "Production control agreement". The packaging shall be manufactured, reconditioned and tested under a quality assurance program which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in ISO 16106.

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



BREVIK, NORWAY

20.04.2022 CERTIFICATE IS VALID UNTIL:

31.07.2024

Mathias Werner Certification Officer Rune Madsen Fink Control Officer

Nordisk Emballasje Testing Certification

Aluis Weme

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E