

PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET105-EMPAC03-IN

HOLDER OF CERTIFICATE:

Aker BioMarine Antarctic AS

4590 kg max

RESPONSIBLE DISTRIBUTOR:

Empac GmbH, Hollefeldstrasse 22, 48282 Emsdetten,

Germany

+

MARKING ON PACKAGING:

Each IBC intended for use according to ADR, shall bear markings which are durable, legible and placed to be readily visible. Letters, numerals and symbols shall be at least 12 mm high.



 $\left(egin{array}{ll} u \\ n \end{array}
ight)$: The United Nations symbol

13H3 : Flexible IBCs, woven plastics with liner

Z : Packaging group III

MMYY : To be replaced with the month and year (last two digits) of manufacture

N : Norway, the state authorizing the allocation of the mark

NET105-(...)-UN2.0 : Name of the manufacturer and other identification specified by the authority

8262 : Stacking load in kg

510 : Maximum gross mass in kg

PRODUCT:

. Koboon		
Description	Method of manufacture	Grammage, g / Thickness, mm
This Flexible IBC is a Modified	Tailor made	200 / 0.5
Atmosphere Packaging,		
performed in woven PP with liner,		
cross corner loop and double		
Stevedore loops		



DIMENSIONS:

Tare weight, kg	Volume, I	L*W*H, mm	Neck size, mm	Drawing
3.4	1069	900*900*1200	Ø 445, L 800	305615

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E

VAT No.: 990 793 840

Bank account: 6250.05.22351

GPS: 59°03'25" N 9°40'70" E



CLOSING MECHANISM:

Туре
Welded bottle neck on inner liner, according to instructions given by producer

INNER PACKAGING:

Туре	Producer	Drawing	Material	Dimensions
Bottle shaped inner	Empac GmbH	3891	Multilayer film,	930 * 920 * 1400
liner			details in report	
MA Valve 125	Somsix B.V.	11401 Rev.1	Details in report	Ø 80





LEGISLATION:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

TESTS CARRIED OUT:

Prototype tests performed and approved according to the above regulations:

6.5.6.5 Top lift test

6.5.6.6 Stacking test

6.5.6.9 Drop test

6.5.6.10 Tear test

6.5.6.11 Topple test

6.5.6.12 Righting test

6.5.6.13 Vibration test

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

Content	Max. gross weight, kg	Packaging group	Packaging instruction
UN 3497, Krill meal	510	III	IBC08

E-mail: info@net17025.com

Web: www.net17025.com



DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET105Empac03-IN	10.11.2022	NET	Type approval

VALIDITY:

The continued validity of the type approval requires that the holder of the certificate and/ or the manufacturer inform NET certification that has approved its type of packaging of any changes to the characteristics of the type or anything that can influence on the transport safety on the specific design so that it can be verified that the type of packaging continues to comply with packaging tested as base for the original type approval.

The FIBC's shall be manufactured, reconditioned and tested under a quality assurance program which satisfies NET Certification, in order to ensure that each FIBC meets the requirements in ADR and the guidelines in ISO16106. The validity of this certification is based upon a given retest frequency according to test procedure ITM009.

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



BREVIK, NORWAY

19.11.2022 CERTIFICATE IS VALID UNTIL:

Control Officer

30.11.2023

VAT No.: 990 793 840 Bank account: 6250.05.22351

GPS: 59°03'25" N 9°40'70" E

Geir Morten Johansen Certification Officer

laci Pla loho

Nordisk Emballasje Testing Certification

NET105-Empac03-IN Page 3 of 3

Telephone +47 900 17025

E-mail: info@net17025.com

Web: www.net17025.com