

**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET1904A**


HOLDER OF CERTIFICATE:
Accon FDP ApS

MANUFACTURER: Accon FDP ApS, Baldersbuen 8, DK-2640 Hedehusene, Denmark

MARKING ON PACKAGING:

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 12 mm high.

 **1G/YKG/S/YR/N/NET1904A - ID**

-  : The United Nations symbol
- 1G : Fibreboard drum
- YKG : Packaging group II and III, and max gross mass in kg from content table
- S : Intended for carriage of solids, see content table
- YR : To be replaced with the year (last two digits) of manufacture
- N : Norway, the state authorizing the allocation of the mark
- NET1904A - ID : Identification of the packaging followed by "ID" to be replaced by the name of the manufacturer

PRODUCT:

Description	Method of manufacture	Material	Drawing
Fibre drum with inner plastic bag, with lid and bottom of MDF	Spinning	Kraft liner, details in report	Type 2-6 Ver.1




DIMENSIONS:

Volume, l	H*Ø, mm	Head/ Body/ Bottom, mm
1: 80	705*400	10 / 4 / 10
2: 72	640*400	10 / 4 / 10
3: 70 - 80	620-705*400	10 / 4 / 10
4: 65 - 70	575-620*400	10 / 4 / 10
5: 61 - 65	535-575*400	10 / 4 / 10
6: 57 - 61	500-535*400	10 / 4 / 10
7: 52 - 57	460-500*400	10 / 4 / 10


8: 48 - 52	420-460*400	10 / 4 / 10
9: 43 - 48	380-420*400	10 / 4 / 10

CLOSING MECHANISM:

#: Closure type	Producer	Drawings	Material
Lid with lifting ring	Accon FDP ApS	Type 2 Ver.1	MDF
Locking ring with lever arm	Accon FDP ApS	Clamp, 620 REV.0	Galvanized steel: 1.2 mm/ 0.6 mm


INNER PACKAGING:

PE plastic bag	Producer	Thickness at least, mm	Tear resistance at least, MD/TD, N	Seal strengt at least, N
Big enough to fold over the edge when filled, closed with a strip.	Any	0.04	76/557	14.0


LEGISLATION:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.
 ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.
 RID, International Regulations on Transport of Dangerous Goods by Rail.
 IMDG, International Maritime Dangerous Goods Code, for sea transport.
 ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.
 IATA, Dangerous Goods Regulations, for the air transport.

TESTS CARRIED OUT:

Prototype tests performed and approved according to the above regulations:
 6.1.5.3 Drop test
 6.1.5.6 Stacking test

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

Content	Max. gross weight, kg
1: Solids in a plastic bag	63
2: Solids in a plastic bag	65
3: Solids in a plastic bag	55
4: Solids in a plastic bag	51
5: Solids in a plastic bag	47
6: Solids in a plastic bag	44
7: Solids in a plastic bag	41
8: Solids in a plastic bag	37
9: Solids in a plastic bag	33

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
F300091B	21.01.2003	SP	Type approval Technical evaluation
P603134A	17.08.2006	SP	Type approval
P603134B	17.08.2006	NET	Technical evaluation
NET19TE01	22.03.2016	NET	Technical evaluation
NET1904A2	07.02.2020	NET	Additional type testing

VALIDITY:

The continued validity of the type approval requires that the holder of the certificate and/ or the manufacturer inform NET certification that has approved its type of packaging of any changes to the characteristics of the type or anything that can influence on the transport safety on the specific design so that it can be verified that the type of packaging continues to comply with packaging tested as base for the original type approval.

The validity of the type approval assume regular verification by means of periodic audits by NET in accordance with NET Doc 2: "Production control agreement". The packaging shall be manufactured, reconditioned and tested under a quality assurance program which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in ISO 16106.

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001.
 The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.

BREVIK, NORWAY

28.02.2023 CERTIFICATE IS VALID UNTIL:

31.05.2025


A handwritten signature in blue ink, reading 'Geir M. Johansen'.

Geir Morten Johansen
Certification Officer

A handwritten signature in blue ink, reading 'Rune Madsen Fink'.

Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing Certification

A large, faint watermark logo in the center of the page, consisting of a white cross-like shape with rounded ends, set against a light blue circular background.