

TYPE APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET2727A

HOLDER OF CERTIFICATE: Nammo Raufoss AS

MANUFACTURER:

Nefab Production Runemo AB, Nordgrens väg 5, SE-822 81 Alfta, Sweden

MARKING ON PACKAGING:

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 12 mm high.

(^u) 4D/Y408/S/YR/N/NET2727A - ID

| _ | |
|---------------|---|
| (u) n | : The United Nations symbol |
| 4D | : Plywood boxes |
| Y408 | : Packaging group II, and max gross mass in kg |
| S | : Intended for carriage of solids, see content table |
| YR | : To be replaced with the year (last two digits) of manufacture |
| Ν | : Norway, the state authorizing the allocation of the mark |
| NET2727A - ID | : Identification of the packaging followed by "ID" to be replaced by the name of the manufacturer |

PRODUCT:

| Description/ Method of manufacture | Material/ thickness |
|---|---|
| Plywood box made of coated plywood equipped w | ith 7 layers of plywood, thickness 9 mm |
| galvanized steel profiles, integrated pallet suitable | e |
| for mechanical handling. Every edge of the box ar | re |
| retrieved together with steel profiles. The | |
| integrated pallet is attached to the box with wood | 1 |
| screws. | |




DIMENSIONS:

| Volume, I | L*W*H, mm | Explosive approved | Drawing |
|-----------|--------------|--------------------|---------------------|
| 822 | 3750*450*480 | Yes | 352506-0000 rev. F, |
| | | | sheet 1-3 |



CLOSING MECHANISM:

| Closure type | Producer | Drawings/ Description | Material |
|--------------------------|------------------|---------------------------|---------------------------|
| Lid with 12 hinges in | Nefab Production | 352506-0000 rev. F, | Plywood 7 layers, details |
| steel | Runemo | sheet 1-2 | in report |
| Steel strapping with lap | Any | Steel strapping, eight in | Steel |
| over seal, 16 * 0.5 mm | | total, according to | |
| | | Nammo drawing | |
| | | 4107598 ver.2 | |



INTERIOR:

| Туре | Drawing |
|-----------------------------|----------------------------|
| According to Nammos drawing | 352506-0000 rev. F sheet 3 |

LEGISLATION:

NET issues the certification on described product according to delegated authority from Norwegian NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.



REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

TESTS CARRIED OUT:

Prototype tests performed and approved according to the above regulations: 6.1.5.3 Drop test

6.1.5.6 Stacking test

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

| Content | |
|--|----------|
| UN0281, rocket motors according to packaging ins | truction |
| | |

DOCUMENTS BASED UPON FOR APPROVAL:

| Report id. | Date | Issued by | Scope |
|------------|------------|-----------|---------------|
| NET2727A | 18.02.2023 | NET | Type approval |

VALIDITY:

The continued validity of the type approval requires that the holder of the certificate and/ or the manufacturer inform NET certification that has approved its type of packaging of any changes to the characteristics of the type or anything that can influence on the transport safety on the specific design so that it can be verified that the type of packaging continues to comply with packaging tested as base for the original type approval.

The validity of the type approval assume regular verification by means of periodic audits by NET in accordance with NET Doc 2: "Production control agreement". The packaging shall be manufactured, reconditioned and tested under a quality assurance program which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in ISO 16106.

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



BREVIK, NORWAY

17.04.2023 CERTIFICATE IS VALID UNTIL:

30.04.2028

Muis Wemer

Mathias Werner Certification Officer

Nordisk Emballasje Testing Certification

Rune Madsen Fink Control Officer

E-mail: info@net17025.com

Web: www.net17025.com

Telephone +47 900 17025