

# TYPE APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET3275D

HOLDER OF CERTIFICATE:  
**DS Smith Packaging Sweden AB**

**MANUFACTURER:** DS Smith Packaging Sweden AB, Bangårdsgatan 2-4, SE-331 26 Värnamo, SWEDEN

**MARKING ON PACKAGING:**

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 12 mm high.

Ⓢ **4GV/X30/S/YR/N/NET3275D - ID**

- Ⓢ : The United Nations symbol
- 4G : Fibreboard boxes
- X30 : Packaging group II and III, max gross mass in kg
- S : Intended for carriage of inner packagings, see content table
- YR : To be replaced with the year (last two digits) of manufacture
- N : Norway, the state authorizing the allocation of the mark
- NET3275D - ID : Identification of the packaging followed by "ID" to be replaced by the name of the manufacturer

**PRODUCT:**

Description/ Method of manufacture	Manufacturer 's joint	Material
Model 0225-00, special packaging conforming to the requirements of 6.1.5.1.7	Glued	Corrugated fibreboard, double wall board, details in report




**DIMENSIONS:**

Volume, l	L*W*H, mm	Thickness, mm	Explosive approved	Pressure tested	Drawing
60	385 * 255 * 585	7.5	Not Approved	Not Approved	KD26927

**CLOSING MECHANISM:**

Closure type	Producer	Dimensions, mm	Material
1: Self locking / Folder type box	DS Smith Packaging Sweden AB	KD26927	Details in report
2: Tape, Double U-pattern, crossing the flip, 100 mm over the edge	Etab AB	0.1 * 50	810, glass fibre, cross armed



**INNER PACKAGING:**

Type	Producer / Distributor	Thickness at least	Tear resistance at least, MD/TD	Seal strengt at least, N
Plastic bag filled with Vermiculite and an optional inner packaging according to ADR 6.1.5.1.7	Any	115	2.8 / 3.5	30.2



**LEGISLATION:**

NET issues the certification on described product according to delegated authority from Norwegian NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 2023/4375 PRAX.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

**REGULATIONS BASED UPON FOR APPROVAL:**

UN Recommendations on the Transport of Dangerous Goods.  
 ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.  
 RID, International Regulations on Transport of Dangerous Goods by Rail.  
 IMDG, International Maritime Dangerous Goods Code, for sea transport.  
 ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.  
 IATA, Dangerous Goods Regulations, for the air transport.

**TESTS CARRIED OUT:**

Prototype tests performed and approved according to the above regulations:  
 6.1.5.2.3 Preparation of packaging, relativ humidity  
 6.1.5.3 Drop test  
 6.1.5.6 Stacking test

**APPROVAL IS VALID FOR:**

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

Content	Max. gross weight, kg	Min. distance between inner packagings, mm	Min. distance between inner packaging and packaging wall, mm	Min. distance between inner packaging and top- or bottom wall, mm
Liquids in inner packaging packed in plastic bag filled with Vermiculite	30	37.5	37.5	37.5
Articles or inner packagings of any type for solids	30	37.5	37.5	37.5

**DOCUMENTS BASED UPON FOR APPROVAL:**

Report id.	Date	Issued by	Scope
NET3275A	24.08.2017	NET	Type approval
NET32TE55	05.06.2023	NET	Technical evaluation

**VALIDITY:**

The continued validity of the type approval requires that the holder of the certificate and/ or the manufacturer inform NET certification that has approved its type of packaging of any changes to the characteristics of the type or anything that can influence on the transport safety on the specific design so that it can be verified that the type of packaging continues to comply with packaging tested as base for the original type approval.

The validity of the type approval assume regular verification by means of periodic audits by NET in accordance with NET Doc 2: "Production control agreement". The packaging shall be manufactured, reconditioned and tested under a quality assurance program which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in ISO 16106.

**TEST STANDARD:**

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



BREVIK, NORWAY

05.06.2023 CERTIFICATE IS VALID UNTIL:

30.06.2028



Mathias Werner  
Certification Officer



Rune Madsen Fink  
Control Officer

*Nordisk Emballasje Testing Certification*

