

**TYPE APPROVAL OF PACKAGING FOR
TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET2725A**

HOLDER OF CERTIFICATE:
Nammo Raufoss AS

343 kg max




MANUFACTURER: Kongsberg Emballasje AS, Sportsveien 9, N-3615
Kongsberg, Norway

MARKING ON PACKAGING:

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 12 mm high.

 **50D/Y/MMYY/N/NET2725A - ID/699/343**

-  : The United Nations symbol
- 50D : Large Packaging, plywood
- Y : Packaging group II and III
- MMYY : To be replaced with the month and year, last two digits, of manufacturer
- N : Norway, the state authorizing the allocation of the mark
- NET2725A - ID : Identification of the LP followed by "ID" to be replaced by the name or symbol of the manufacturer
- 699 : The stacking test load in kg
- 343 : The maximum permissible gross mass in kg

PRODUCT:

Description/ Method of manufacture	Drawings	Material
50D Large packaging, Plywood	4009572 v3	4 layer Plywood, details in report



DIMENSIONS:

Volume, l	Internal dimensions: L*W*H, mm	Thickness, mm
1790	1126*1126*1412	12

CLOSING MECHANISM:

Closure type	Producer	Drawings	Material
Lid	Kongsberg Emballasje	4009573 v2	4 layer Plywood, details in report

LEGISLATION:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 2023/4375 PRAX.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

TESTS CARRIED OUT:

Prototype tests performed and approved according to the above regulations:

6.6.5.3.1 Bottom lift test

6.6.5.3.3 Stacking test

6.6.5.3.4 Drop test

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

Content
Rocket motors, UN0186 Class 1.3 C
Rocket motors, UN0281 Class 1.2 C

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
209443	10.08.2017	Nammo	Type approval

VALIDITY:

The continued validity of the type approval requires that the holder of the certificate and/ or the manufacturer inform NET certification that has approved its type of packaging of any changes to the characteristics of the type or anything that can influence on the transport safety on the specific design so that it can be verified that the type of packaging continues to comply with packaging tested as base for the original type approval.

The validity of the type approval assume regular verification by means of periodic audits by NET in accordance with NET Doc 2: "Production control agreement". The packaging shall be manufactured, reconditioned and tested under a quality assurance program which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in ISO 16106.

BREVIK, NORWAY

23.10.2023 CERTIFICATE IS VALID UNTIL:

30.09.2027




Mathias Werner
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing Certification

A large, faint watermark logo is centered on the page. It consists of a white cross-like shape with rounded ends, set against a light blue circular background.