

**TYPE APPROVAL OF PACKAGING FOR
TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET17701A**

HOLDER OF CERTIFICATE:

Profil Grafisk AS

MANUFACTURER: Profil Grafisk AS, Bøverbruvegen 17, 2840 Reinsvoll

MARKING ON PACKAGING:


Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 12 mm high.

Ⓢ **4G/Y19/S/YR/N/NET17701A - ID**

- Ⓢ : The United Nations symbol
- 4G : Fibreboard boxes
- Y19 : Packaging group II, max gross mass in kg
- S : Intended for carriage of inner packagings, see content table
- YR : To be replaced with the year (last two digits) of manufacture
- N : Norway, the state authorizing the allocation of the mark
- NET17701A - ID : Identification of the packaging followed by "ID" to be replaced by the name of the manufacturer

PRODUCT:

Description/ Method of manufacture	Manufacturer´s joint	Material
FEFCO 0205, slotted type	Taped	Corrugated fibreboard, double wall board, details in report




DIMENSIONS:

Volume, l	L*W*H, mm	Thickness, mm	Explosive approved	Drawing
61	906*242*279	7.0	Yes	755202-DWG Ver.4

CLOSING MECHANISM:

Closure type	Producer	Drawings	Material
Tape, "H"- pattern, 150 mm over the edge	3M	4007343. Ver.2. and partslist report 3013998 ver. 2.5	3M Scotch 389
Tape, inside flaps	ORAFOL Europe GmbH	4007343. Ver.2. and partslist report 3013998 ver. 2.5	ORAFOL Europe GmbH Orabond 1812TM


INNER PACKAGING:

Type	Description	Drawing	Material	Dimensions
Inner liner, plastic bag	Baca Plastindustri AS	Part no. 650717 in partslist report 3013998 ver. 2.5	Baca P10681	1200*550*0.2
Cushioning material	SUNPOR Kunststoff GmbH	649168-DWG. Ver.1	Suncolor® exquisit EPS	275*238*84
Cushioning material	Dow Sverige AB	745784-DWG. ver.1, 745786-DWG. ver.1	ETHAFOAM 400	276*244*54
Cushioning material	Solidus Solutions	Part no. 650729 in partslist report 3013998 ver. 2.5	PACKLINE 600 G/M ² UNLINED	269*229*0.9

LEGISLATION:

NET issues the certification on described product according to delegated authority from Norwegian NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 2023/4375 PRAX.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.
 ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.
 RID, International Regulations on Transport of Dangerous Goods by Rail.
 IMDG, International Maritime Dangerous Goods Code, for sea transport.
 ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.
 IATA, Dangerous Goods Regulations, for the air transport.

TESTS CARRIED OUT:

Prototype tests performed and approved according to the above regulations:
 6.1.5.2.3 Preparation of packaging, relativ humidity
 6.1.5.3 Drop test
 6.1.5.6 Stacking test

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

Content
UN 0181, ROCKETS with bursting charge, 4 pcs

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET177011	23.11.23	NET	Type approval

VALIDITY:

The continued validity of the type approval requires that the holder of the certificate and/ or the manufacturer inform NET certification that has approved its type of packaging of any changes to the characteristics of the type or anything that can influence on the transport safety on the specific design so that it can be verified that the type of packaging continues to comply with packaging tested as base for the original type approval.
 The validity of the type approval assume regular verification by means of periodic audits by NET in accordance with NET Doc 2: "Production control agreement". The packaging shall be manufactured, reconditioned and tested under a quality assurance program which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in ISO 16106.

TEST STANDARD:


All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



BREVIK, NORWAY

15.12.2023 CERTIFICATE IS VALID UNTIL:

31.12.2028



Mathias Werner
 Certification Officer



Rune Madsen Fink
 Control Officer

Nordisk Emballasje Testing Certification