

TYPE APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET4002A

HOLDER OF CERTIFICATE: **VPK Packaging AB**

MANUFACTURER: VPK Packaging AB, Gamla Bruksgatan 70, SE-668 40 Bäckefors,

Sweden

MARKING ON PACKAGING:

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 12 mm high.

(h) 4G/YKG/S/YR/N/NET4002A - ID

 $egin{pmatrix} \mathbf{u} \\ \mathbf{n} \end{pmatrix}$: The United Nations symbol

4G : Fibreboard boxes

YKG : Packaging group II and III, max gross mass in kg

S : Intended for carriage of solids or inner packagings, see content table

YR : To be replaced with the year (last two digits) of manufacture N : Norway, the state authorizing the allocation of the mark

NET4002A - ID : Identification of the packaging followed by "ID" to be replaced by the name of the manufacturer

PRODUCT:

Description/ Method of	Manufacturer's joint	Material
manufacture		
Fefco 0203PC, slotted type	Glued	170/105*3/170



DIMENSIONS:

Box #: Volume, I	L*W*H, mm	Thickness, mm	Explosive approved	Drawing
1: 15.5	320*215*222	5.0	No	829710
2: 32.8	460*280*255	5.0	No	829709

Telephone +47 900 17025

E-mail: <u>info@net17025.com</u>

Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E



CLOSING MECHANISM:

Closure type	Producer	Material
Staples, 3 pcs in bottom/ 3 pcs in	Josef Kihlberg	JK561-51, steel
top		

INNER PACKAGING:

Туре	Description	Material	Thickness
Acid-proof plastic bag	closed with tape	LD PE	0.055 mm
EPS	as cusion material in all	EPS	18 mm
	sides except bottom		
Tape	50 mm	PVC	0.05 mm
Absorbent pad	in the bottom of the bag	Absorbent	-
	to collect spill of acid		



LEGISLATION:

NET issues the certification on described product according to delegated authority from Norwegian NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 2023/4375 PRAX.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

TESTS CARRIED OUT:

Prototype tests performed and approved according to the above regulations:

6.1.5.2.3 Preparation of packaging, relativ humidity

6.1.5.3 Drop test

6.1.5.6 Stacking test

NET4002A Page 2 of 3

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E



APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirement of the applicable UN-code and its

packaging instruction.

Box #: Content	Max gross mass in packaging group I, kg
1: UN2794-Volvo battery: 30644962, 30659794,	21.0
30659797, 30659798	
2: UN2794-Volvo battery: 30659795, 30659796,	27.0
30659799, 30659800	

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET4002A-2	06.02.2014	NET	Type approval
NET4002A-1	21.03.2012	NET	Type approval
NET4003A	21.03.2012	NET	Type approval

VALIDITY:

The continued validity of the type approval requires that the holder of the certificate and/ or the manufacturer inform NET certification that has approved its type of packaging of any changes to the characteristics of the type or anything that can influence on the transport safety on the specific design so that it can be verified that the type of packaging continues to comply with packaging tested as base for the original type approval.

The validity of the type approval assume regular verification by means of periodic audits by NET in accordance with NET Doc 2: "Production control agreement". The packaging shall be manufactured, reconditioned and tested under a quality assurance program which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in ISO 16106.

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.

NORSK AKKREDITERING TEST 259

BREVIK, NORWAY

22.02.2024 CERTIFICATE IS VALID UNTIL:

28.02.2029

Mathias Werner Certification Officer Rune Madsen Fink Control Officer

Nordisk Emballasje Testing Certification

Mais Weme-

Telephone +47 900 17025

E-mail: info@net17025.com

Web: www.net17025.com

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E