

**TYPE APPROVAL OF PACKAGING FOR
TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET4006A**

HOLDER OF CERTIFICATE:
VPK Packaging AB

155 kg max




MANUFACTURER: VPK Packaging AB, Gamla Bruksgatan 70, SE-668 40 Bäckefors, Sweden

MARKING ON PACKAGING:

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 12 mm high. Each LP shall also be marked with maximum permitted stacking load according to ADR 6.6.3.3.1 (as shown in figure to left).

 **50G/Y/MMYY/N/NET4006A-ID/279/155**

-  : The United Nations symbol
- 50G : Fibreboard large packaging
- Y : Packaging group II and III
- MMYY : To be replaced with the month and year (last two digits) of manufacture
- N : Norway, the state authorizing the allocation of the mark
- NET4006A-ID : Identification of the LP followed by "ID" to be replaced by the name or symbol of the manufacturer
- 279 : The stacking test load in kg
- 155 : The maximum permissible gross mass in kg

PRODUCT:

Description/ Method of manufacture	Drawing	Material	External dimensions: L*W*H, mm
Fefco GF201, Slotted type, Stitched manufactures joint	S846226	Corrugated fibreboard, double wall board, details in report	1195*795*1165




DIMENSIONS:

Volume, l	Internal dimensions: L*W*H, mm	Thickness, mm
920	1180*780*1000	6.5

CLOSING MECHANISM:

Closure type	Producer	Drawings	Material
Staples, 20 pc in manufacturers edge	Any	C:15.0 W:2.5 T:0.5 L: 11.5/21.0	Steel
Strapping band * 2, as on picture	Any	12 * 0.8 mm	PP



INNER PACKAGING:

Type	Producer / Distributor	Thickness at least	Tear resistance at least, MD/TD, N	Seal strengt at least, N
Plastic bag	Any	144 my	2.9/ 5.9	35.5



LEGISLATION:

The approval is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. This certificate is liable to withdrawal at any time, to ensure validation check the published version on the Internet (www.net17025.com/Sertifisering/UN_ADR/cid/30758/).

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 2023/4375 PRAX.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.
 ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.
 RID, International Regulations on Transport of Dangerous Goods by Rail.
 IMDG, International Maritime Dangerous Goods Code, for sea transport.
 ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.
 IATA, Dangerous Goods Regulations, for the air transport.

TESTS CARRIED OUT:

Prototype tests performed and approved according to the above regulations:
 6.6.5.3.1 Bottom lift test
 6.6.5.3.3 Stacking test
 6.6.5.3.4 Drop test

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

Content
UN3291: CLINICAL WASTE, UNSPECIFIED or (BIO) MEDICAL WASTE, or REGULATED MEDICAL WASTE

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET4006A	02.10.2020	NET	Type approval

VALIDITY:

The continued validity of the type approval requires that the holder of the certificate and/ or the manufacturer inform NET certification that has approved its type of packaging of any changes to the characteristics of the type or anything that can influence on the transport safety on the specific design so that it can be verified that the type of packaging continues to comply with packaging tested as base for the original type approval.
 The validity of the type approval assume regular verification by means of periodic audits by NET in accordance with NET Doc 2: "Production control agreement". The packaging shall be manufactured, reconditioned and tested under a quality assurance program which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in ISO 16106.

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



BREVIK, NORWAY

27.05.2024 CERTIFICATE IS VALID UNTIL:

31.10.2025



Geir Morten Johansen
 Certification Officer



Rune Madsen Fink
 Control Officer

Nordisk Emballasje Testing Certification